WATER WELL RECORD 1 LOCATION OF WATER WELL: County: Phillips			Fraction NW 1/4 NW 1/4 NE 1/4		Division of Water Resources; App. No. 44,633				
					Section Number Township Number T 2 S			R 19 E (W	
within	ce and direct city? Appr ng Island	ion from nearest town or city st oximately 3 1/4 miles sou	et address of well if located and 2 1/2 miles east		Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39.900222 Longitude: -99.48626				
2 WATER WELL OWNER: Phillips County Rural District #1						Elevation: Unknown			
	St. Address				Datum:				
City,	State, ZIP	Code : Phillipsburg, K	S 6/661		Data Col	lection l	Method: WAAS GP	S Unit	
	TE WEL		LETED WELL	15	56	ft.			
	ATION I AN ''X'' l	Depth(s) Groundwater	Encountered (1) ATER LEVEL 120		ft.	(2)	ft. (3)	ft,	
	TION BOX	WELL'S STATIC WA	ATER LEVEL 120	fi	t. below lar	id surfac	e measured on mo/da	_{y/yr} 07-11-07	
	N N	Pump test dat	a: Well water was Not on: Well water was	mecke	ft. after		hours pumping	gpm gpm	
NW	/ NE	WELL WATER TO	BE USED AS: (5) Public	c water	supply	8 Air 6	conditioning 11 I	njection well	
w NW	/ NE)				ratering 12 (
			Industrial 7 Domesti				-	smer (speemy serion)	
SW	'SE		riological sample submit		_ ,			If yes, mo/day/yrs	
		I I	1			_			
	<u> </u>							/ Clampad	
		ING USED: 5 Wrough RMP (SR) 6 Asbesto	t Iron 8 Concr	(speci	fy helow)	CASING	Welded Welded	Cramped	
\bigcirc	NIC 4	ADC 7 Ell1-					Threaded	-∮	
Blank ca	sing diamet	er 8 in to 134 land surface 12	ft., Diameter		in. to	ft.,	, Diameter	in. to ft.	
Casing h	eight above	land surface 12	in., weight 8.25	5	lbs./ft. W	all thick	ness or gauge No.	.500	
TYPE O	F SCREEN	OR PERFORATION MATE Stainless Steel 5 Fibe	ERIAI.						
2			ncrete tile 8 RM (SR				12 None used (open h		
SCREEN	OR PERF	ORATION OPENINGS ARI							
$\overline{}$	Continuous Louvered sl		Gauzed wrapped 7 To Wire wrapped 8 Sa			illed hole	\ <u>*</u>		
		ATED INTERVALS: From	134 ft. to		10 Oi. 5 ft	From	ify)	ft	
001021		From	ft to		ft.,	From	ft. to	ft.	
•	GRAVEL I	PACK INTERVALS: From	100 ft. to 26 ft. to	15 80	5 ft.,	From	ft. to	ft.	
		From RIAL: 1 Neat Cement 2	26 ft. to	80) ft.,	From	ft. to ft. to ft. to ft. to ft. to ft. to St. to Bentonite Hole	ft.	
6 GROU	T MATEI Compa	ClAL: 1 Neat Cement (2 cted Soil	Cement grout 3 Bento	nite (4)Other		Bentonite Hole	plug	
Grout Ir	itervals:	From 0-6 ft. to urce of possible contamination:	ft., From6-	-26	ft. to	f	ft., From 80-100	ft. toft.	
1 Septic tank 4 Lateral lines 7 F			Pit privy 10 I	Livesto	ck pens	13 Inse	ecticide Storage	16) Other (specify	
2 Sewe	r lines			Fuel sto	_		andoned water well	below) None known	
	rtight sewer l		recayara		er Storage	15 Oil	well/gas well	None known	
FROM	from well?	LITHOLOGIC LO		w man	y feet?	T	PLUGGING INTI	ERVALS	
0	4	Topsoil			1.5		, 55 55 5		
4	26	Clay, gray							
26	100	Cemented sand and clay							
100 113	113 124	Sand and clay Clay, and some sand							
124	149	Sand and gravel, fine, me	edium						
149	155	Cemented sand, soft							
						-			
		S OR LANDOWNER'S CE		s water	well was (I) const	ructed (2) reconstructed (2) reconstruction (2)	ucted (3) plugged	
		and was completed on (mo/day	√/					-0-	
		ontractor's License No. me of Clarke Well & Equip			ord was con (signature)	ipieted of	n (mo/day/year)	7-17-07	
		ypewriter or ball point pen. <u>PLEASI</u>				inks, under	line or circle the correct ar	nswers. Send top three	
copies to K	Cansas Departr	nent of Health and Environment, Bu	ureau of Water, Geology Section	on, 1000) SW Jackson	St., Suite	420, Topeka, Kansas 6661		
103-490-3	JAZ. SCHU UNC	to WATER WELL OWNER and r	cam one for your records. Fee	UL 33.1	NO TOT CACIL CC	manucied /	WOII.		

Well #3