
TRI-VALLEY IRRIGATION

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Water Well Brilling
Valley Self Prepailed Sales and Service
Box 26, Norway, Kansas 66961

WATER WELL RECORD KSA 82a-1201-1215



Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

	County	Township name	Fraction	Section	on number		Town number	Range number	1
1 Location of well:	0		100 100 11	الأسرا	1		10WIT HORIDE		
	Kepublic_	FAIR UIEW	NZ INZ IN	2 14	27	4.	<u> </u>	R2W	1
County Township name Fraction Section number Town number Range number 1 Location of well: Republic FAIR VIEW NE/NE/NE/NE/NE/NE/NE/NE/NE/NE/NE/NE/NE/N									
St.	194/1000	in of Bille	ville	Address:	ah.	4 K		'A	
81/36/4	unction or		w.					0	j 25
Locate with "X" in	section below: N	Sketch map:				4 Wel	I depth: 2 ft. Il diameter 8 1/2 in.	Date of completion 10-30	V-15
	1 1 1								1
							Cable tool Rotary	Bored Reverse rotary	
						-		<u></u>	1
w						o Use		ic supply Industry Commercial	
							Test well		
]	· !	1 '				7 Cas	ing: Material PUS		1
	1 1					Thre	eaded 🔲 🛮 Welded 🔀	Surface 18 in.	j
1	S Mile					Dia	m. 57	Weight 200 lbs./ft. 3 / Drive shoe? \(Yes \) No	
	→ I MITE →			<u> </u>	-		⊥ in. to Уft. depth ⊥ in. to — ft. depth	Drive shoe? Yes No	
2	Тур	e and color of material		From	То	8 Scre		<u> </u>	1
00				0		Mai	nufacturer Jone	<u> </u>	
D Br. Clay					10	Тур	<u> PUS</u>	Dia5	
l Dan	alan will	Oittle (1)	Locah	10	11		t/gauze 0,25		
	cup up	auce u	MACK.	10	10		between <u>37</u> ft. and	1 2 / ft	ممسما
11) 08	ais			16	22		rings; rvel pack 🌠 Yes 🗌 No	Size range of material	pavel
B.	206	· / · · · · · ·		20	00	0 5+=+	tia water laval.		1
Br clay a w/rock				da	28	ᅺ	T ft. below land surfa	ce Date 10-30-75	
Streak of Sand				28	36	10 Pum	ping level below land su	urfaces:	Ī
Di Na I				36				s. pumping g.p.m.	
Tine Gana					38		tt. atter hr: mated maximum yield 2 .	s. pumping g.p.m. 5-30 p.m.	
Fine	Sand to	are alw	Cuso	38	40		ter sample submitted:	3. P	1
1 1		: // U	w CD		1.1	_	Yes No Da	te	
crace	sand w	Chavel.		40	42		II head completion: N	0]
(Ond	al manol			42	56		Pitless adapter	Inches above grade	
	of guerrex	. 1				13 Wel	I grouted? Yes	□ No	
Na. K	Sue Blac	k clay Ha	rd.	56	57	<u> </u>	Neat cement Benton	iite	
									u
					ļ	14 Ned	Direction	ontamination: None	~
l <i>C</i>	lased at	~ ₹7./					ll disinfected upon comp		
						15 Pum	ıp:	Not installed	
						1	nufacturer's name		
1507	or Deve	0 47/4				i	ath of drop pine	ft. capacity g.m.p.	N
- 00 000	e con	2 11921		<u> </u>		Тур		ii. capacii, g.m.p.	3
					<u></u>		Submersible	Turbine	-
	,					=	Jet C	Reciprocating	
1/ 0		a second sheet if needed)			l		Certrifugal	Other	N
16 Remarks: elevat	Custo.	ner to pe	itanp	um	0		ter well contractor's cert well was drilled under r		9
1600	sho had	IN MOIN	11000	10)	20			my furisaiction and this my knowledge and belief.	
Topography: Jack an mew well, will						9	ii-balleun		≥
Topography: Jack in new well, will Slope Topography: Customer to put in pump Topography: Jack in new well, will Slope Topography: Complete concrete slot						Busi	ness name	License)No.	NE SE
☐ Slope☐ Upland	attop	also,	_	_		Add Sign	dress Box 26 Y	10 mg 10 30	-75kg
Valley	/	•				əigi	Authori (ad repres		