WATE	R WEL	L RECORD	Form WV	<u>VC-5</u>	Div	vision of Wate	r Resources App. No			
1 LOCATION OF WATER WELL: County: Norton			Fraction NW 1/4 NW 1/4	1/4 1/4	Section	on Number 30	Township No. T 2 S	Range Number R 21 □E ☑W		
		ddress of Well Location;	if unknown, distance &	direction	Global Positioning System (GPS) information:					
from	nearest to	own or intersection: If at	owner's address, check	Latitude: .39-51'-13.7" (in decimal degrees) Longitude: 99-44'-12.9" (in decimal degrees)						
1 1/2 west of Almena, 2 1/4 miles south						Elevation:				
2 WATER WELL OWNER: Nelson Farms inc.						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
RR#	, Street A	.ddress, Box #: P.O. Bo	Farms Inc.				Collection Method:  ☐ GPS unit (Make/Model: Magellan 300 )			
J	, State, ZI	LONG 13	land, KS 67647		Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: S m, 3-5 m, 5-15 m, >15 m					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 70 ft.										
SEC'	SECTION BOX: Depth(s) Groundwater Encountered (1).21									
Pump test data: Well water was .65							ping125 gpm			
N'	w NI	EST. YIELD	gpm. Well water	gpm. Well water was						
w		E Bore Hole Dian	R TO BE USED AS:	Public wa	er suppl	y □ G€	eothermal 🔲	Injection well		
ow or Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well										
s If yes, mo/day/yr sample was submitted										
1 mile  Water well disinfected? ✓ Yes ☐ No										
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other										
Casing diameter 8 in to 70 ft. Diameter in to ft. Diameter in to ft. Diameter ft. Diameter ft.										
Casing height above land surface. 24 in., Weight 3.67 lbs./ft., Wall thickness or gauge No. schd 40 TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel    ☐ Stainless Steel    ☐ PVC    ☐ Other (Specify)										
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 30 ft. to 70 ft., From ft. to										
Fromft. to										
	GRAVI	EL PACK INTERVALS:	From. 15	ft. to7.9		ft., From .	ft.	. to ft.		
From ft. to ft., From ft. to ft. ft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout I	ntervals:	From .9 ft. t	o ft., From		ft. to	ft.	, From	ft. toft.		
What is the nearest source of possible contamination:  Septic tank    Lateral lines    Livestock pens    Insecticide storage    Other (specify below)										
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
		ht sewer lines			-		as wen	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
FROM	ТО	LITHOLO		FROM	ТО		······	UGGING INTERVALS		
0	25	top soil and clay			aparamatan da					
25 35	35 56	fine to med, sand coarse sand to fine gr	avel							
56	70	shale	3701							
			***************************************	<u> </u>						
					***************************************					
7 CON	TRACT	L OR'S OR LANDOWNE	R'S CERTIFICATIO	N: This wa	er well	was 🚺 const	tructed,  reconst	tructed, or plugged		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .03/03/2012 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 7.92. This Water Well Record was completed on (mo/day/year) 4/20/2012 under the business name of Holdrege Well Service by (signature)										
INSTRI	ICTIONS:	Use typewriter or hall point be	n PLEASE PRESS FIRML	Y and PRINT c	early. Ple	ease fill in blank	and check the corre	ect answers. Send three copies		
(white, 1	olue, pink) t	o Kansas Depar tment of Healt	th and E nvironment, Bureau	of Water, Geo	logy Secti	ion, 1000 S.W J	fackson St., Suite 420	, Topeka, Kansas 666 12-1367. c <u>onstructed</u> well. Vi sit us at		
http://wv	ww.kdheks.g	gov/waterwell/index.html.								
<b>KSA 82</b>	a-1212				C	люск: 🔽 М	/hite Copy, 🔲 E	Blue Copy, 🔲 Pink Copy		