KOLAR Document ID: 1379127

WATER				WWC-5				sion of Wate	-		 Well II	, [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					PP				e Number				
County: 14 14 14					Secti	T S R DE W							
							Rura	l Address	whe	re well is located		vn, d	
Business:						direction fr	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	E WELL												
WITH "X		4 DEPTH					ft.						
SECTION	N BOX:	Depth(s) Gr					11			e:			
N		WELL'S ST			. ft., or 4)[11			WGS 84 □ NAI		JNA	D 27
					on (mo-day					Latitude/Longitude			,
- _{NW}	NE				on (mo-day-			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
	i	_		vater was ft.						Survey Topogra			,
w	Е	after		s pumping gpm vater was ft.				☐ Online Mapper:					
SW	SE	ofter											
	1	Estimated Y		s pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TO				Level □ TOC	
S				gpm in. to ft. ar				Source: Land Survey			GPS 🗆	Top	ographic Map
1 m	ile				to					Other			
7 WELL W	VATER TO												
1. Domestic:					well ID					eld Water Supply: 16			
Househo					iny wells?								•••
☐ Lawn &☐ Livestoo					ell ID					☐ Uncased ☐ (al: how many bores			
2. Irrigatio													
3. ☐ Feedlot] Air Sparge		nediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industri			Recovery		Injection					(specify):			
Was a chem	nical/bacter	iological san	nple subm	itted to K	KDHE? \sqcap	Yes □ N	No :	If yes, date	e sar	nple was submitte	d:		
Water well o					_	_		•		1			
8 TYPE OI	F CASING	USED: □ S	teel PV	C 🔲 Othe	r	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	l 🗌 Weld	ded	☐ Threaded
										in. to			
Casing height					nt	lbs.	/ft.	Wall thicl	kness	or gauge No			
TYPE OF S										7 (6)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	_	□ PVC	ised (open	hala)		her (Specify)		••••	•••••
SCREEN O					☐ None t	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrapp	oed □ To	orch Cut [□ Dri	illed Holes	П	Other (Specify)			
Louver		☐ Key Puncl						ne (Open F		(-1),			
SCREEN-PI	ERFORATE	D INTERV	ALS: From	1	ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to	ft.
GR	RAVEL PAC	K INTERV	ALS: Fron	1	ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to .	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
	Grout Intervals: From												
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Seyer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
	ght Sewer Lin		Seepage Pit		Feedyard	_		ertilizer Sto		☐ Oil We	ll/Gas We	ell	
☐ Other (Specify)													
			LITHOLOG		ance from w					ft. HO. LOG (cont.) or		INC	INTERNALC
10 FROM	TO	1	THOLOG	JIC LUG		FRON	4	TO	LH	HO. LOG (cont.) of	PLUGG	ING	INTERVALS
						1							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Con	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was co	mple	ted on (mo-day-y	ear)		
under the bu	under the business name of												
KS Departme	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							185-296-3565.					
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	PAUL O & PEGGY SUE DAVIS
Doc ID	1379127

Litholgy

From	То	LithologicLog
0	4	TOP SOIL
4	11	SILTY CLAY
11	25	SILTY CLAY, F. SAND
25	28	CLAY
28	41	CLAY, F. SAND & SS TR
41	46	MAG, F. SAND, SS
46	48	MAG, CLAY, VERY F. SAND
48	59	MAG, CEM SS, F. SAND
59	65	F. SAND, SS, SILTY CLAY
65	76	F. SAND, SILTY SC, TR SS
76	83	F/M SAND, TR C SAND, SS
83	86	F/M SAND, SILTY SC, MAG, TR SS
86	94	MAG, CLAY, F. SAND, TR SS
94	110	SS, F/M SAND, TR C SAND
110	113	MAG, CLAY, F/M SAND
113	122	SS, F/M SAND, TR C SAND
122	124	SILT LAYER
124	135	SS, F/M SAND, SS, C SAND
135	143	F/M/C SAND, F/M GRAVEL
143	153	F/M SAND, SS, MAG
153	165	SS, F/M SAND, CEM SS
165	168	F/M SAND & SC
168	181	F/M/C SAND & SS
	•	

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	PAUL O & PEGGY SUE DAVIS
Doc ID	1379127

Litholgy

From	То	LithologicLog
181	188	F/M SAND, SS, CLAY
188	190	F/M SAND & SS
190	197	F/M SAND, SS, CLAY
197	199	CLAY, F. SAND
199	215	STICKY CLAY,
215	224	OCHER, SHALE, RED/GRAY SHALE