WATER WELL F		rm WWC-5	Divi	sion of Water			
Original Record		Change in Well Use	Resou	urces App. No.		Well ID	
1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	er Range Number	
County: Norton 2 WELL OWNER: Last Name: Dole Business:		NW/ANW/ANW/	NW/a NW/aNW/a SWA		13 T 2 S R2/□E 🖼 W		
2 WELL OWNER: I	ast Name:	First: Gary	Street or Rura	al Address wh	ere well is located	(if unknown, distance and	
Address: 504 Address:	E Lincoln	~ ST					
City: Norton	Ctata:	KS ZIP: 67645	1 11:1.	NE	E Al.		
3 LOCATE WELL	1		,	11 6	01 /1/me	Ka	
WITH "X" IN	4 DEPTH OF	COMPLETED WELL:		5 Latitude	:	(decimal degrees)	
SECTION BOX:		vater Encountered: 1)4		Longitude:(decimal degrees)			
N	2)	ft. 3) ft., or 4) [☐ Dry Well	Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL:			Source for Latitude/Longitude:			
		irface, measured on (mo-day irface, measured on (mo-day		Grade management			
NW NE		Vell water was				Yes ∐ No)	
W K E		hours pumping					
		Well water was	ft.	Опше маррет.			
SW SE	alter nours pumping						
	Estimated Yield: . 2.4		gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map		
S	Bore Hole Diame	ter: in. to					
1 mile in. to ft.							
7 WELL WATER TO							
1. Domestic:		ic Water Supply: well ID				ase	
☐ Household 6. ☐ Dewatering: how many v ☐ Lawn & Garden 7. ☐ Aquifer Recharge: well I							
Livestock 8. ☐ Monitoring: well ID				12. Geothermal: how many bores?			
3. ☐ Feedlot				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Reco		2,1114011011			ge 🗀g. o	
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing diameter							
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. 26							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From 10.5 ft. to 20 ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 20 ft. to ft., From ft., From ft., From ft. to ft. o ft.							
Septic Tank							
Sewer Lines							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify)							
Direction from well?	<u></u>	Distance from w	ell?				
10 FROM TO	LITH	OLOGIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS	
0 25	soil						
25 40	surdy al	7 i/					
40 62	grarel	/					
62 72	sand st	one					
72 85	clay						
85 105	sand						
			Notes:				
44 CONTRACTOR OF A LAND CONTRACTOR OF THE CONTRA							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)							
under my jurisdiction and was completed on (mo-day-year)							
under the business name of Gottashalk. Water Well Drill's							
under the business name of Soft 25h a. K. Water Well Drilling. INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas							
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
	Visit us at http://www.kdheks.gov/waterwell/index.html				KSA 82a-1212 Revised 9/10		