1 LOCATION	N OF WA	TER WELL:	Fraction			Section Numbe	er Township Nu	nber	Range Number	
County: No	orton		NE 1/4	SE 1/4	SE 1/4	34	T 2	S		∞
		n from nearest tov	n or city street ad	dress of well if	located withir	n city?				
		orton, Kansas				-				
<u></u>			f William Wen	dall						
				uen			5			
· · · · · · · · · · · · · · · · · · ·	•		ilson Blvd #303	•••					ion of Water Resour	ces
City, State, Z			on, Virginia 222				Application Num			
3 LOCATE V	WELL'S L						VATION:			
VVIIHAN	. X. IN 2F	ECTION BOX:	 Depth(s) Groundwa	ater Encountere	ed 1	. 39 f	t. 2	ft. 🤇	3	ft.
<u> </u>	1						surface measured or			
	1	1					after			
	NW	NE					after			
\ \d	1									
W Wije	,	1 1-1					and			
- "	1	[] [WELL WATER TO	BE USED AS:			8 Air conditioning		njection well	v) 3
	<u>.i.</u>	<u>i</u>	1 Domestic	3 Feedlot		water supply	_		Other (Specify below	<i>)</i> 3
const. Acres	SW	\$E -X	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	(10) Monitoring well,			}
	i	i - 1	Was a chemical/b	acteriological sa	ample submit	ted to Departmer	nt? YesNo.v	; If yes,	mo/day/yr sample w	vas r
<u> </u>			submitted			V	vater Well Disinfected	d? Yes	No √	9
5 TYPE OF		CASING USED:	5	Wrought iron	8.0	Concrete tile	CASING JOIN	ITS: Glued	I Clamped	─
ب				-					·	
1 Steel		3 RMP (SR	,	Asbestos-Cem		Other (specify be	•		ed	
(2)PVC		4 ABS		Fiberglass					•	
							ft., Dia			
Casing height	it above la	and surface	. 5.16 in	., weight			./ft. Wall thickness o	r gauge N	o Sch. .40	
TYPE OF SC	REEN O	R PERFORATION	I MATERIAL		(7	PVC	10 Asbe	stos-ceme	ent	
1 Steel	l	3 Stainless	steel 5	Fiberglass		RMP (SR)	11 Othe	r (specify)		•
2 Brass		4 Galvanize		Concrete tile		ABS ,		used (op		
	_	RATION OPENING			auzed wrapp		8 Sawcut		11 None (open hole	۵) ا
	tinuous sl				Vire wrapped		9 Drilled holes		11 None (opennoe	³⁾
						l			•	
	vered shu		ey punched		orch cut	<u> </u>				
SCREEN-PE	RFORAT	ED INTERVALS:				•	rom			
							rom			
GRA	AVEL PA	CK INTERVALS:					rom			
			From	ft. 1	to <u></u> .	ft., F	rom	ft.	to	ft.
6 GROUT M	1ATERIAL	: 1 Neato	ement 2	Cement grout	(3)	Bentonite -	4 Other			
Grout Interval	le: Fron	n 0	ft to 26	ft From	26	ft to 28	ft, From			
		ource of possible					estock pens		pandoned water well	
		•		7 Dit			•			
1 Septic t		4 Latera		7 Pit privy			el storage		il well/Gas well	(
2 Sewer lines 5 Cess			,							
3 Waterti	ight sewe	rlines 6 Seepa	age pit	9 Feedya	ırd		ecticide storage	U	ST Basin	
Direction from	m well?	SE					any feet? 240			
FROM	TO		LITHOLOGIC LC)G	FRO	м то	PLU	JGGING IN	TERVALS	
0	0.83	Gravel/Silt/Ve	egetation,							
0.83	4	Clay, Dark Bi	rown							?
4	27	Silt, Brown								
27		Sand, Brown								
36		Sand, Brown								\neg
30	43	Danu, Di UWII								
										
<u> </u>										
				· ·						
							MW9 , Tag # 00162755 , Flushmount Project Name: Norton Hardware and Appliance			$\overline{}$
							<u> </u>			
	:						GeoCore # 209, KD			
7 CONTRAC	CTOR'S	R LANDOWNER	S CERTIFICATION	N: This water w	ell was (1) c	onstructed. (2) re	econstructed, or (3)	olugged un	der my jurisdiction	
_							record is true to the			ef
							as completed on (mo/			
						by (sign			DDI	
under the bus				Services, In				m	14-1	\longrightarrow
INSTRUCT Departmen	TIONS: Use nt of Health	typewriter or ball poi and Environment, Bur	nt pen. <u>PLEASE PRES</u> reau of Water, Topeka,	SS FIRMLY and <u>PR</u> Kansas 66620-0001	<u>R/N7</u> clearly. Ple 1. Telephone: 9	ease fill in blanks, un 13-296-5545. Send o	derline or circle the correctors to WATER WELL OW	t answers. S NER and reta	send top three copies to Ka ain one for your records.	ansas

WATER WELL RECORD Form WWC-5 KSA 82a-1212