

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Norton</u>	<u>SW 1/4 NE 1/4 NW 1/4</u>	<u>1</u>	T <u>2</u> S	R <u>23</u> <input checked="" type="checkbox"/> W

Distance and direction from nearest town or city? 1 mi North 1 mi East of Norton, Kans. Street address of well if located within city?

2 WATER WELL OWNER: John wetter
 RR#, St. Address, Box #: Norton Kansas 67654
 City, State, ZIP Code: Norton Kansas 67654
 Board of Agriculture, Division of Water Resources
 Application Number:

3 DEPTH OF COMPLETED WELL: 81 ft. Bore Hole Diameter: 9 in. to 81 ft., and in. to ft.
 Well Water to be used as:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Grazing land
 Well's static water level: 6.0 ft. below land surface measured on 4 month 1 day 81 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield 15 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 Brass 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia: 5 in. to 65 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 141 in., weight 236 lbs./ft. Wall thickness or gauge No: 214
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 5 Gauzed wrapped Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to 81 ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 65 ft. to 81 ft., From ft. to ft.
 Gravel Pack Intervals: From 16 ft. to 81 ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 16 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage Other (specify below) None
 13 Watertight sewer lines
 Direction from well How many feet? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name: Elgin Model No: 8 HP N/A Volts: N/A
 Depth of Pump Intake: 72 ft. Pumps Capacity rated at 3 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating Winomill 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 4 month 1 day 81 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 167
 This Water Well Record was completed on 5 month 7 day 81 year under the business name of Fawcett Drilling by (signature) [Signature]

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		TO		LITHOLOGIC LOG		FROM		TO		LITHOLOGIC LOG	
		0	2	28	36	Black clay						
2		28	36	38	Yellow clay							
28		36	38	81	white lime rock (soft)							
36		38			Sand							
38		81			white rock sandstone on flint							

ELEVATION: upland
 Depth(s) Groundwater Encountered 1. 6.0 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)