		R WELL RECORD Fo		KSA 82a-1			
1 LOCATION OF WATER WELL:		NE OF		tion Number	Township Number	1 00	
County: Norton Distance and direction from nearest	SW 1/4		ithin city?	34	T 2 S	R 23	w
Distance and direction from nearest	town or city street add	W North St,		S			
2 WATER WELL OWNER: KDH	E-BER						
RR#, St. Address, Box # : 1000	SW Jackson S	ite. 410			Board of Agriculture,	Division of Water Resource	es
City State ZIP Code . Tope	eka. KS 66612				Application Number:		
3 LOCATE WELL'S LOCATON WIT	TH 4 DEPTH OF CO	OMPLETED WELL	45	ft. ELEV	ATION:	2278.11	
N	Depth(s) Groundy	vater Encountered 1.5	38	} ft.	2f	t. 3	Ft.
†						day/yr 05/02/12	Ft.
NWNE						urs pumping	m
83	Est. Yield	Gpm: Well water	was	F	t. after Hou	urs pumpingGp	m
× W	E Bore Hole Diamet	ter 8.625 In. to	45	5	ft. and	in. to 11 Injection well 12 Other (Specify below	Ft.
sws X	WELL WATER TO	DBEUSEDAS: 5 P 3 Feed lot 6 O	ublic water su il field water :	upply Supply	8 Air conditioning 9 Dewatering	11 Injection well 12 Other (Specify below	v)
Svv+ s	2 Irrigation	4 Industrial 7 L	wn and nard	lan (domastic	:) 10 Monitoring well	7 SWP-2	"
♦	•					yes, mo/day/yr sample was	
S	i i	acteriological sample s	submitted to L		ter Well Disinfected? Ye		٠
F TYPE OF BLANK CASING LISE	Submitted	5 Wrought Iron	9 Coper			Glued Clamped	
5 TYPE OF BLANK CASING USED	D: IP (SR)	6 Asbestos-Cement				Velded	
	` ,		3 Other	(specify below	/		
2 PVC 4 ABS	5	7 Fiberglass Ft.,				hreaded X	
Blank casing diameter 2	in. to 35	Dia	In. t	0	ft., Dia	in. to	ft.
Casing height above land surface	FLUSH I	n., weight S	CH 40	Lbs./ft.	Wall thickness or gauge	No.	
TYPE OF SCREEN OR PERFORAT					10 Asbestos-c		
1 Steel 3 Sta	inless steel	5 Fiberglass	8	RMP (SR)	11 Other (spec	cify)	
	Ivanized steel	6 Concrete tile	9	ABS	12 None used	(open hole)	i
SCREEN OR PERFORATION OPEN			ed wrapped			11 None (open hole)	
	3 Mill slot		• •		9 Drilled holes		
	4 Key punched	7 Torch			10 Otner (specify)		
SCREEN-PERFORATED INTERVAL						ft. to	
CAND DAOK INTERVALO						ft. to	
SAND PACK INTERVALS:		33 ft. to				ft. to	
		ft. to			*		Ft.
6 GROUT MATERIAL: 1 Ne.	,	Ft .	Et	tonite	4 Other	••	
Grout Intervals From2 0.5	ft. to 1	From3	to	33	ft. From	ft. to	ft.
What is the nearest source of possib						Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuels	torage 15	Oil well/ Gas well	
2 Sewer lines	5 Cess pool	8 Sewage	lagoon	12 Fertiliz	zer storage 16	Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyar	d	13 Insect	icide storage	Contaminated Site	
Direction from well?			_	How many	feet?		_
FROM TO CODE		OGIC LOG	FROM	то	PLUGGIN	G INTERVALS	
	Sand, clay, grav	<u>rel</u>		1	,		
	Clay, Silty Silt, Clayey						
	Clay, silty						\dashv
	Sand		-				\dashv
	End of Borehole)					
			1		****		
				+ +			\dashv
				+		 	\dashv
			1	 			\dashv
							\neg
7 CONTRACTOR'S OR LANDOWN							
Completed on (mo/day/yr)	04/30					wledge and belief. Kansas	
Water Well Contractor's License No.		585				mo/day/yr) 05/30/12	ا۔۔!
under the business name of	Associate	ed Environmenta	al, Inc.	B	y (signature) Bradle	y John sgh	
INSTRUCTIONS: Please fill in bla Kansas 66620-0001. Telephone:	anks and circle the corre	ect answers. Send three one to WATER WELLOW	copies to Kans NER and retain	as Department n one for vour	t of Health and Exporment records.	rear of White Topeka	
nansas 00020-0001. Teleprione.	0.0 200 00-0. Octid U	LO TTT LI LIT TYLLE OVY		your			