WA	TER WELL I	RECORD	Form WWC	-5 D	Division of Water Resources App. No. 20120050					
1 L		VATER WELL:				umber	Township	Number R	ange Number	
Stree	Norton t/Rural Address of V	Vell Location: if unk	nown, distance & directi	1/4 NE 1/4	11 Flobal Pos	itioning	T 2 System (C	2 S R GPS) informati	24 □E ⊠W	
			's address, check here □		Latitude: Longitude	e: ,, , , ,	. ~ 1,5	(in	decimal degrees) decimal degrees)	
2 WATER WELL OWNER Dale Schu RR#, St. Address, Box # 305 Suns City, State, ZIP Code Norton, I			set Drive		Elevation: Datum: □ WGS 84, □ NAD 83, □ NAD 27 Collection Method: □ GPS unit (Make/Model: □ Digital Map/Photo, □ Topographic Map, □ Land Survey					
3 I	OCATE WELL							5-15 m, D		
l .	VITH AN "X" IN									
S	ECTION BOX:	WELL'S STAT	IC WATER LEVEL		t. below lan	d surface	e measured o	n mo/day/yr		
	×	Pur	np test data: Well wa	ter was	ft.	after	h	ours pumping	gpm	
	-NM - NE -	EST. YIELD	gpm: Well war TO BE USED AS:	ter was	1t.	after	h	ours pumping Injection	gpm	
W			Feedlot xOil field		r suppry L	J Dewate	erino	Other (S	necify below)	
	Domestic									
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No									
	S	If yes, mo/	day/yr sample was subm	itted						
1 mile Water Well Disinfected? ▼ Yes □ No										
5 TYPE OF CASING USED: Steel Other Other										
CASING JOINTS: Let 'flued Li Clamped Li Welded Li Threaded Casing diameter 4 to in to 160 ft Diameter in to ft Diameter in to ft										
CASING JOINTS: Solved Clamped Welded Threaded Casing diameter 4.5 in. to 160 ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No. 245										
11 I PE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify) SCREEN-PERFORATED INTERVALS: From 160 ft. to 200 ft., From ft. to ft.										
SCR	EEN-PERFORATE	DINTERVALS:	From	ft to	400	ft Fi	rom	ft. to	ft.	
	GRAVEL PACK	INTERVALS:	From 20	ft. to	200	ft., Fi	rom	ft. to	ft.	
			From	ft. to		ft., F	rom	ft. to	ft.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$										
Grou	it Intervals Fro	om 0 ft. to	20 ft. From	fi	. to	ft.	From	f	t. toft.	
wna	Septic tank	Lateral 1:	nes Pit privy	☐ Livesto	ck pens	☐ Insec	ticide storag	e 🗆 Oth	er (specify below)	
	☐ Sewer lines	☐ Cesspoo					doned water			
_ D	! f !!	r lines		☐ Fertiliz	er storage e from well		ell/gas well	None		
	ROM TO		DLOGIC LOG	FROM) LOG (con		ING INTERVALS	
-		Surface		183	200			v/sand strks		
	2 20	Loess		200	210		w/yellow oo			
		Clay w/caliche st								
		<u>Clay U caliche w/</u> Fine sand w/clay	some sand lenses & caliche strks			-				
		Caliche	& canche strks					water visit and the second sec		
1	04 132	Sandstone w/fine	sand & caliche strks				***************************************			
		Fine sand w/clay								
		Clay & caliche w								
175 183 Fine sand w/clay & caliche strks 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or □ plugged										
under my jurisdiction and was completed on (mo/day/year) 1/19/12										
Kansas Water Well Contractor's License No. 554 . This Water Well Record was completed on (no/day/year) 1/27/12 under the business name of Woofter Pump & Well Inc. by (signature)										
und	er the business name	or wootter Pun	ip & well Inc.	by (sigr	ature)	(pay.	C.Woo	100		
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										