1 LOCATION OF WATER WELL:			ATER WELL REC Fraction	_		Section Number					Range Number		
	Decatur		5 7/4	510	14 SW	1/4	<u> </u>	<u> </u>	d	S	R 27		
Distance a	and direction	from nearest to	wn or city street a	address o	f well if locate	ed within city?							
	n. Bu	U OF N	lorcatus,	K5									
2 WATE	R WELL OW	NER: M+L	trust										
	ddress, Box , ZIP Code	# : PO BI	0x 873 KS 67601	ı					ard of Agr		vision of Water F	Resources	
3 LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF C	OMPLET	ED WELL	206	ft. ELEV	ATION:					
	N SECTION		Depth(s) Groun	ndwater E	ncountered 👡								
		<u> </u>									ımping		
-	-NW	NE	WELL WATER			ter was 5 Public wate					ection well	gpm	
	1	1	Domestic			6 Oil field wat		9 Dewat			ther (Specify bel	ow)	
w⊢	1	- <u>i</u> E	2 Irrigation		dustrial	7 Domestic (I	awn & garden) 10 Monito	oring well .				
	1	1											
_	-SW	SE 	Was a chemica mitted	ll/bacterio	logical sampl	e submitted to		? Yes 1 Water Well [; If yes, mo/day/yrs sample was sub- d? Yes			
5 TYPE	OF BLANK	CASING USED:		5 Wrou	aht iron	8 Cond	rete tile	CAS	SING JOIN	VTS: Gluer	Y Clampe	ıd	
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)					stos-Cement		8 Concrete tile C. 9 Other (specify below)			ASING JOINTS: Glued			
②PVC 4 ABS			7 Fiberglass							ided			
Blank casi	ing diameter	·4	in. to		ft., Dia	٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠	in. to		ft., Dia	•••••	in. to	ft.	
Casing he	ight above la	and surface	1.8	in., v	veight	•		lbs./ft. Wa	all thicknes	ss or guage	e No		
TYPE OF SCREEN OR PERFORATION MATERIAL:					-1		PVC		10 Asbestos-Cement				
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel				5 Fiber			8 RMP (SR) 9 ABS		11 Other (Sper 12 None used		ecify)d (open hole)		
				0 00110				8 Saw			•	I I - V	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot					5 Guazed wra 6 Wire wrappe				cut ed holes	11 None (open holes		noie)	
	ivered shutte		Key punched		7 Tor	ch cut		10 Othe	r (specify)				
		ED INTERVALS	From 1	85	ft to	206	ft Fro	m		ft to		ft	
COLLECT	0	25 27.07.20	From		ft. to		ft., Fro	m		ft. to		ft.	
	GRAVEL PA	CK INTERVALS											
			From		It. to		ft., Froi	m		ft. to		tt.	
6 GROU	JT MATERIA	AL: 1 Nea	at cement	2 Cei	ment arout	∂)Be	ntonite	4 Other					
Grout Intervals: From							to				ft. tof		
What is the nearest source of possible contamination:									vestock pens		14 Abandoned water well		
1 Septic tank 4 Lateral lines					7 Pit priv	у	•			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewag		·			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage						
Direction from well?							How many feet?						
FROM	то		LITHOLOGIC	LOG		FROM	TO		PLU	GGING IN	rervals		
0	5	TOPEOIL											
5	80	1	+ Sand										
80	140	Mage	Sand										
140	180	Mag	Sandsto	ne					,				
180	201	Coarse	<i></i>										
201	206	Shale											
			,										
		 											
													
	<u> </u>												
		 											
							-						
7		1											
△ CONTE	RACTOR'S C	DR LANDOWNE	ER'S CERTIFICAT	TION: Thi	s water well	was 🛈 cons	tructed, (2) re	constructed	, or (3) pli	ugged und	er my jurisdiction		
completed	on (mo/day/	year) 5 . ./ .3.	701		TPL:- 147 ·	Mar B D	and this	record is true	e to the be	st of my kn	owledge and beli	et. Kansas	
							a was comple	ted on (mo/d (signature)	aay/yr)	J.J		•••••	
	ousiness nar	WAL	cox Wel)c:LLIng				1.00	4 K	uch		
			en. <i>PLEASE PRESS FI</i> ection: 1000 SW Jackso										

records. Fee of \$5.00 for each <u>constructed</u> well.