WATI	ER WELI	RECORD	Form WW	C- 5	Division of Wate	r Resources; App. No.	***	
	LOCATION OF WATER WELL:		Fraction	Fraction		Section Number Township Numbe		
	inty: Decat		SW 1/4 SW 1/4		36	T 2 S	R 29 E/W	
		rection from nearest town or o		well if	Global Positioning	Systems (decimal deg	rees, min. of 4 digits)	
located within city? NE corner of intersection of Hwy 83 & 36								
1					Longitude:			
2 W	ATER WEI	L OWNER: Decatur Coop	erative Association					
	#, St. Addre		er Parkway		Datum:			
CII	y, State, ZII	Oberiii, KS C			Data Collection Method: Hand held Garmin			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL .101.5								
1	LOCATION							
	WITH AN "X" IN Depth(s) Groundwater Encountered (1) 90.02 ft. (2) ft. (3) ft.							
SE	SECTION BOX: WELL'S STATIC WATER LEVEL90.02							
	Pump test data: Well water was							
	WELL WATER TO BE USED AS: 5 Public water supply 9 Air conditioning 11 Injection well							
w N	THE NAME OF THE PARTY OF THE PA							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW CE								
[Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted								
S S								
5 TYI	PE OF CAS	ING USED: 5 Wrough	t Iron 8 Co	ncrete tile	CASING	G JOINTS: Glued	Clamped	
	Steel		s-Cement 9 Otl	ner (specif	y below)			
2 PVC 4 ABS 7 Fiberglass								
Blank casing diameter 4 in. to 79.3 ft., Diameter in. to ft., Diameter in. to ft. Diameter in. to ft. Casing height above land surface 4 in., Weight 2.0 lbs./ft. Wall thickness or guage No. Sch 40								
Casing	height abov	Ve land surface4	in., Weight.4:9.	• • • • • • • • • • • • • • • • • • • •	lbs./ft. Wall thi	ckness or guage No.	301140	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 80 ft. to 100 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
		FIOI	1 It. K)	π., From	It. to	п.	
6 GR	OUT MAT	ERIAL: 1 Neat cement	2 Cement grout 3 I	Bentonite	4 Other			
	Intervals:	From .0 ft. to .80						
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
1	2 Sewer line		8 Sewage lagoon	11 Fuel s		bandoned water well	below)	
		sewer lines 6 Seepage pit				il well/gas well		
FROM		II? . SE		FROM		PLUGGING INT		
0	84	Silt	ic Lod	FROM	VI IO	PLUGGING IN I	EKVALS	
84	100.5	Sand						
100		Shale						
100	103	Silale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 10-25-06 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 554. This Water Well Record was completed on (mo/to-flyeary 12-96-96. under the business name of Woofter Pump & Well, Inc.								
					by (signature)		· (eer)	
three co	pies to Kansas	se typewriter or ball point pen. <u>PL</u> Department of Health and Environn	ease Press Firmly and nent, Bureau of Water Ge	a <u>PKINT</u> cle ology Section	n, 1000 SW Jackson st.,	Suite 420, Topeka, Kansas	66612-1367. Telephone	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://w	http://www.kdhe.state.ks.us/geo/waterwells.							