WAIL	K WEI	L RECORD	Form W	W C-5	Di	vision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: REPUBLIC			Fraction 1/4 NE 1/4 NW	1/4 NW 1/4	Section	on Number 2	Township No. T 2 S	Range Number R 3 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here						Latitude: .39,9135278 (in decimal degrees) Longitude: 097.6286389 (in decimal degrees)			
						Elevation:			
2 WATER WELL OWNER: ALAN HURLEY						Datum: WGS 84, W NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 2055 REPUBLIC LANE						GPS unit (Make/Model:)			
City, State, ZIP Code : REPUBLIC, KS 66964					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.									
	I AN "X ION BO N								
	Pump test data: Well water was 9								
NW	EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
w	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW - SE - Domestic Feediot Oil field water supply Dewatering Domestic Specify below) Oil field water supply Dewatering Domestic Specify below) Oil field water supply Dewatering Dewatering Domestic Specify below) Oil field water supply Dewatering Domestic Specify below) Oil field water supply Dewatering Dewatering Domestic Specify below) Oil field water supply Oil field water supp									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .16									
Casing diameter 19. In. to 149. It., Diameter III. to 15.853. Ibs./ft., Wall thickness or gauge No500.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
What is the nearest source of possible contamination:									
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well ☐ Distance from well									
FROM	TO	LITHOLOG		FROM	ТО	•		JGGING INTERVALS	
0	2	TOP SOIL							
2	17	TAN CLAY							
17	28	TAN CLAY - LAYERS							
28 39	39 40	MED SAND AND GRA	VCL		<u></u>	-			
Ja	70	OTIALL							
		Manager of the Party of the Par							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .9-26-2013 and this record is true to the test of my knowledge and belief.									
Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on (no day/year) 19/8/2014									
under the business name of									
	Kansas D	epartment of Health and Environ	ment, Bureau of Water, Geo	logy Section, 1	000 SW	Jackson St., Suit	e 420, Topeka, Kansa	as 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									