WATER WELL RECORD			Form W	WC-5	Division	of Water	Resources App. No	0.		
1 LOCATION OF WATER WELL: County: REPUBLIC		Fraction  1/4 NE 1/4 NW	1 1/4 NW 1/4	Section Nur 2			Range Number			
	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here .						Latitude: .39,9124444 (in decimal degrees)			
	COUNTY ROADS G AND 17					Longitude: 097.6292778 (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: ALAN HURLEY						<u>Datum</u> : ☐ WGS 84, <b>☑</b> NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: ALAN HURLEY RR#, Street Address, Box #: 2055 REPUBLIC LANE					Collection Method:					
C' C TID C 1					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
City,	, State, Z	REPUB	LIC, KS 66964							
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m										
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.									
SECT		Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr									
Pump test data: Well water was . 19										
EST. YIELDgpm. Well water wasft. after hours pumpinggpm										
W   E   Bore Hole Diameter 28in. toft., andin. toft.										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
SW SE □ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well LIVESTOCK  Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No										
S If yes, mo/day/yr sample was submitted										
water well disinfected?  \[ \overline{\sigma} \ Yes \] No										
5 TYPE OF CASING USED: Steel PVC Other Other										
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter .16										
Casing diameter 10										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel ✓ PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)										
SCREE	N-PERF	OKATED INTERVALS:	From	1. 10 <del></del>	II., F	rom	π. ι	to ft.		
	GRAV	EL PACK INTERVALS:	From	ft to		From		ιο π.		
	UKAV	ELTACK INTERVALS.	From	tt. to		From		to ft.		
From										
Grout In		From .3 ft. to			t. to	ft	From	ft. to ft.		
Grout Intervals: From .3										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)										
	Sewer li			Fuel storage			water well			
		ht sewer lines		Fertilizer st		well/gas				
FROM	TO	n well		FROM				CCDIC DITEDUAL C		
0	9	LITHOLOG	IC LOG	FROM	TO LIT	HO. LO	G (cont.) or PLU	GGING INTERVALS		
9	18	TOP SOIL TAN CLAY								
18	31	TAN CLAY - LAYERS (	OF LIMESTONE							
31	36	TAN CLAY	JI LIIVIESTONL				****			
36	40	MED SAND AND GRAY	/FI			***************************************				
00		MED CHILD HILD CHIL						,,		
						***************************************				
			MACA Farm							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) 9-25-2013 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on the day/year 9970.14										
under the business name of										
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										