WATE	R WELL	RECORD	Form WWC-	5 Di	vision of	Water Res	ources App. No.					
		WATER WELL: Decatur	Fraction 4 NW 4 NW 5			Number	Township Nu	mber	Range N	lumber		
			nown, distance & direction		_		System (GPS)					
from nearest town or intersection: If at owner's address, check here □. 7.5 Miles west − 3 north—3/4 NW of Oberlin						Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation:						
2 WATER WELL OWNER: Walter May RR#, St. Address, Box # 1890 100 th Road City, State, ZIP Code Oberlin, KS 67749						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model:						
			,		Digit	tal Map/Phot	to, \square Topographic m, \square 3-5 m, \square 5	: Map, [Land Su	rvey		
	TE WELL		COMPLETED WELL		E1	1	C.					
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered (1)						51 ft. (2) ft. (3) ft.					
) SECT	N	WELL'S STATI	C WATER LEVEL	ft	. below la	and surface	measured on mo	/day/y	 r			
	l i		np test data: Well wate									
- N/N	/	EST. YIELD	gpm: Well wate	r was		ft. after	hours	pumpi	ng	gpm		
WELL WATER TO BE USED AS: □ Public wa						ater supply Geothermal Injection well						
W Domestic □ Feedlot □ Oil field water sup						pply						
SK → SE → Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well Was a chemical/bacteriological sample submitted to Department? □ Yes ☒ No												
S If yes, mo/day/yr sample was submitted												
1 mile Water Well Disinfected? ⊠ Yes □ No												
5 TYPE	OF CASINO	G USED: ☐ Steel	ĭ PVC ☐ Othe	er								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded												
CASING JOINTS: Glued Clamped												
TYPE OF	SCREEN OF	PERFORATION MA	YTERIAL:				in thickness of ge	iuge iv	o	240		
	el	☐ Stainless Steel	⊠ PVC	☐ Other	(Specify	·)						
SCREEN (ass Ar pere∩r	☐ Galvanized Steel ATION OPENINGS A	None used (open h	iole)								
□ Co	ntinuous Slo	t	☐ Gauze wrapped ☐ Wire wrapped	☐ Torch cu	ıt [☐ Drilled b	noles 🗆 Nor	e (ope	n hole)			
□ Lo	uvered shutte	r	☐ Wire wrapped	⊠ Saw cut	[☐ Other (s	pecify)					
SCREEN-I	PERFORATI	ED INTERVALS:	From 31	ft.to	51	ft Fr	om om	II. U	0	ft.		
GR	AVEL PACI	CINTERVALS:	From 20	ft. to	51	ft., Fr	om	ft. t	o 	ft.		
			From	It. to		II., Fr	om	II. U	0	п.		
	T MATERI	AL:	nt 🗵 Cement grout	☐ Bent	onite	☐ Other						
	vals Fi	om 0 ft. to ce of possible contam		ft.	to	ft.	From		ft. to	ft.		
	otic tank	Lateral lin		☐ Livestoo	k pens	☐ Insect	icide storage	Пο	ther (speci	fy below)		
☐ Se	☐ Sewage lagoon	☐ Fuel sto	rage	☐ Abanc	doned water well			,				
	itertight sewe n from well	er lines		☐ Fertilize	r storage	⊔ Oil w	ell/gas well	Non				
			LOGIC LOG	FROM		LITHO	. LOG (cont.) or	DLUC	CINC IN	TEDWALC		
FROM 0	TO 2	Surface	LOGIC LOG	FROM	10	LITHO	. LOG (cont.) <u>or</u>	PLUG	IGINO IN	IEKVALS		
2	5	Loess										
5	9	Fine to med sand										
40	40	Clay w/a few sand Med sand & grave										
45	51	Yellow ochre & grave										
			V									
			•									
			ER'S CERTIFICATI	ON: This								
under my jurisdiction and was completed on (mo/day/year) 7/12/10 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 554 or 83. This Water Well Record was completed on (mo/day/year) 7/27/10 under the business name of Woofter Pump & Well Inc. by (signature)												
INSTRUCT	IONS: Please	fill in blanks and check the	e correct answers. Send three	copies (white	blue. nink	to Kansas	Department of Hea	lth and	Environme	nt, Bureau of		
Water, Geol	ogy Section, 1	000 SW Jackson St., Sui	te 420, Topeka, Kansas 6661 constructed well. Visit us at	12-1367. Tel	ephone 78	5-296-5522.	Send one to WA'	TER W	ELL OWN	ER and retain		

KSA 82a-1212

Check: \square White Copy, \square Blue Copy, \square Pink Copy