***	280000	11010 -					
ATER WELL RECORD Form WWC-5  Original Record □ Correction □ Change in Well Use		Division of Water Resources App. No.			Well ID		
				tion Number			
County: Ray		5 E1/4 SE 1/4 SE1/4	l l	16	T AS	R 37 □ E 2 W	
WELL OWNER:		- F:	Stroot or Du	ral Address	where well is located (i	f unknown, distance and	
Business:	to Knight C	astle Resources	direction from	nearest town or	r intersection): If at owner's	address, check here:	
Address: Address:		[	40	6 W	of ATwood	1,165	
City: Hay	State: K	5 ZIP: 67601			/		
LOCATE WELL	4 DEPTH OF CO	MPLETED WELL:	181 ft	5 Latite	ude:	(decimal degrees)	
WITH "X" IN	ft.	ft. Longitude:(decimal degrees)					
SECTION BOX: 2)				Dry Well Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
WELL'S STATIC WATER LEVEL: 7.6							
below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr							
Pump test data: Well water was				) (WAAS enabled?			
v <del>                                     </del>		ars pumping g					
SW SE	Well water was ft.						
	after hours pumping gpm Estimated Yield: gpm			6 Elevation:ft. Ground Level TOC			
S Bore Hole Diameter:			. ft. and	ft. and Source: Land Survey GPS Topographic Map			
1 mile		in. to			Other		
WELL WATER T					7 T 1 1 W	Warle . #1	
Domestic: 5. ☐ Public Water Supply: well ID							
☐ Household ☐ Lawn & Garden			11.100.11010				
Livestock	7. Aquifer Recharge: well ID			12. Geothermal: how many bores?			
2.  Irrigation	9. Environmental Remediation: well ID						
3. ☐ Feedlot I. ☐ Industrial	☐ Air Spar ☐ Recover		xtraction	raction b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):			
		<i>-</i> ,	/ <b>DP</b> NI-				
Water well disinfected		mitted to KDHE?	es 🔼 No	If yes, date	e sample was submitted		
		VC Other	CASI	NG JOINTS	S: M Glued □ Clamped	□ Welded □ Threaded	
Casing diameter	in. to	t., Diameter	in. to	ft., Dian	neter in. to	ft.	
Casing height above land	surface	in. Weight بين الم	lbs./ft.	Wall thick	kness or gauge No23	50	
	R PERFORATION M				(0. 10.)		
		erglass <b>A</b> PVC ncrete tile  None us	ed (open hol		her (Specify)		
	RATION OPENINGS		ed (open nor	·)			
Continuous Slot	☐ Mill Slot ☐	Gauze Wrapped   Tor					
☐ Louvered Shutter	☐ Key Punched ☐	Wire Wrapped ☐ Sav	v Cut 🔲 1	Jone (Open I	łole)		
SCREEN-PERFORA	TED INTERVALS: Fro	om 1.61 ft. to 18.6 om 15P ft. to 18.6	ft., From .	المراجعة ال	o ft., From	ft. to ft.	
OKAVEL PA	ACK INTERVALS: Fr	om 7.3 It. to	ft., From	1. It. It. It.	o .7.3 It., From	tt. to tt.	
Grout Intervals: From .	ft. to	ft., From	tonie   C	tt From	ft. to	ft.	
Nearest source of possi	ble contamination:			-			
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
□ Sewer Lines     □ Cess Pool     □ Sewage Lagoon     □ Fuel Storage     □ Abandoned Water Well       □ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well							
Other (Specify)	TEARLE ZA	ANEIT CCCANAIC		i citinzci su	nage On well	das wen	
Direction from well?	-5 outh	Distance from we	11?				
0 FROM TO		OGIC LOG	FROM	TO	LITHO. LOG (cont.) or F	PLUGGING INTERVALS	
0 64	Clay						
28 82	3 CINY	2 N D					
28 82		+ N W					
96 115	F SAND M	GRAVE/					
115 120	5 6/14	JAROE!					
120 121	Rock		Notes:	LI	Griair	al Returned to Ser	
121 178 FINE SAND TRACE BLAND							
128 181	5/9/2						
11 CONTRACTOR	'S OR LANDOWNER	r's CERTIFICATION	: This water	r well was	constructed, recon	structed, or plugged	
under my jurisdiction Kansas Water Well C	and was completed on ontractor's License No.	(mo-day-year)	.∢.∡ and ter Well Re	unis record	ns true to the best of my	er) 2-18	
under the business nar	ne of	Day Hid S. HH	Si	gnature	Losent Buch		
Mail 1 white copy	along with a fee of \$5.00 for	each constructed well to: Kan	sas Departmen	t of Health and	Environment, Bureau of Wat	er, GWTS Section,	
		as 66612-1367. Mail one to V			one for your records. Telepho	ne 785-296-5524.  Revised 7/10/2015	
Visit us at http://www.kdhe	ks_gov/waterwell/index.html		KSA 82a-12	414		Keviseu //10/2015	