

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: CHEYENNE Fraction NW 1/4 SW 1/4 NE 1/4 Section Number 23 Township Number T 2 S Range Number R 41 E 10

Distance and direction from nearest town or city street address of well if located within city? 6 mi NORTH - 4 WEST OF ST. FRANCIS

Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39-51-58.328 N Longitude: 101-53-13.779 W Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: TYLER RAILE RR#, St. Address, Box #: 2155 RD 7 City, State, ZIP Code: ST. FRANCIS, KS 66256

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL 244 ft. Depth(s) Groundwater Encountered (1) 19.7 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 197 ft. below land surface measured on mo/day/yr. 4-6-2010 Pump test data: Well water was... Est. Yield 1.8 gpm: Well water was... WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr Sample was submitted. Water well disinfected? Yes No

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded 2 PVC 4 ABS 7 Fiberglass Blank casing diameter 5 in. to 204 ft., Diameter. in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight lbs./ft. Wall thickness or guage No. S.D.R. 21 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 204 ft. to 199 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 244 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well Direction from well? NONE IN VIEW How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-20 CLAY, 20-80 CLAY, 80-100 STONE, 100-120 STONE-GRAVEL-CLAY, 120-160 GRAVEL-CLAY, 160-180 CLAY, 180-220 GRAVEL, 220-244 SHALE-GRAVEL.

Original Returned to Sender for Correction Date: 5/24/10

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-6-10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 484 This Water Well Record was completed on (mo/day/year) 5/19/10 under the business name of SCHAAL DRILLING by (signature) Tyler Raile

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.