1 LOCAT	TION OF WA	TER WELL:	FRACTIO	N	Wat	er Well Reco	ord Form W	VC-S	Section Number	Township Number	Range Number
Sumner			SE	1/4	SE	1/4	SW 1	,4	5	30	1 7.7
Sumner SE 1/4 SE 1/4 SW Distance and direction from nearest town or city street address of well if located within city?								<u>"</u>	3	T 30 s	R 177 E/W
1 m. S. of Ninnesca River on 119th W., 1 1/2 E, N. side											
						<u>19th</u>	W.,	1]	1/2 E, N.	<u>side</u>	
ш	TER WELL O		NS, Da		11						
	ST. ADRESS,	1.0.	Box 17	_						Board of Agriculture, E	Divivsion of Water Resource
CITY,	STATE, ZIP	code: Clear	water,	<u>Ka</u>	nsas				67026	Application Number	et:
		OCATION WITH 4	DEPTH O				65	5	n. ELEV	VATION:	
AN "X"	IN SECTION	N TBOX:	Depth(s) gr	oundwa	ter Enco	ountered	1		ft.	2 ft.	3 ft.
1		l w	ELL'S STA	FIC WA	TER LI	EVEL 2	20	FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	07/26/1995
	i		Pu	mp test	data:	Well	water wa	8	ft. a	fter hours pun	iping gpm
-	NW	F.st	t. Yield	_	gpm:	Wel	l water wa	s	ft. s	ıfter hours pun	
w Mile			re Hole Diar	neter	12	in.	to 65		ft.	and in.	to ft.
I ₹ W		1 1 1	ELL WATE				5 Public v				Injection well
			1 Domestic		3 Feed					•	Other (Specify below)
1	sw	s#e			4 Indu					•	other (openly below)
2 Ingaton									(1) (
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was											· -
S submitted Water Well Disinfected? Yes X No											
5 TY	PE OF CA	SING USED:			5 Wro	ught iro	n	8	Concrete tile	CASING JOINTS: (Glued X Clamped
1 Steel 3 RMP (SR)					6 Asbestos-Cement				9 Other (Specify below) Welded		
2 PVC	2	4 ABS			7 Fiber	rglass		SI	DR-26	•	Threaded
Blank ca	_ sing Diam	eter 5 in	L to 24	ι	ft.,	Dia		in.	to	ft., Dia in.	to ft.
1	-	e land surface 12		in.,	16. ,		2.35			Wall thickness or gauge No.	.214
		N OR PERFORATION	ON MATER			weight	2.55		PVC	10 Asbestos-cen	
1 Stee		3 Stainless Steel			5 Fiber	glass			RMP (SR)	11 other (specif	'v)
j					6 Conc	rete tile			ABS	· •	, -
95											
			ING ARE:				uzed wrapj			9 Drilled holes	11 None (open note)
	nous slot	3 Mill slot				6 W1	re wrapped				
2 Louve	red shutte	r 4 Key punc	hed			7 To	rch cut			10 Other (specify)	
SCREEN-PERFORATION INTERVALS: from 24 ft. to 65 ft., From ft. to f											ft.
			fro	m			ft. to		ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from 24					ft. to 65			;	ft., From	ft. to	ft.
			fro				ft. to		ft., From	ft. to	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
	ntervals:		ft. to 24			From		ft. 1	to	ft. From	ft. to ft.
1		source of possible co		1:	де.	1.10441		16.	10 Livestoo		Abandon water well
1 Septic tank 4 Lateral lines			-	7 Pit privy				11 Fuel sto		Oil well/Gas well	
				8 Sewage lagoon					13	16 Other (specify below)	
5 Ccss poor											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticitie storage None Apparent									e Apparent		
	n from we								 	How many feet?	TOTAL TO
FROM			THOLOGIC	LOG			FR	<u>M</u>	TO	PLUGGING INTE	LKVALS
0	4	topsoil							 		
4	20	clay					 		+ +-		
20	65	gray shal	e								
										, <u>, , , , , , , , , , , , , , , , , , </u>	
1											
<u> </u>											
									1 1		
	†								1		
	1	 							1 1		
	t -										
	 	***************************************					<u>-</u>		+ +		
 	 										
		<u>L.</u>									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and											
was completed on (mo/day/year)											
Well Contractor's License No236											
Under the business name of Hard Well & Pump Service, Inc by (signature)											
Jane Frederick											trederick