KOLAR Document ID: 1583560

	WELL R	Correction		WWC-5 ge in Well Use		vision of Wat ources App. 1			Well ID		
			-	Fraction		ction Numb		Township Numbe		ge Number	
1 LOCATION OF WATER WELL: Fraction County: 1/4					1/4	$\begin{bmatrix} T & S \\ R & \Box E \\ \Box W \end{bmatrix}$					
2 WELL OWNER: Last Name: First: S						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCAT WITH "		4 DEPTH	OF COM	IPLETED WELL:	f	ft. 5 Latitude :(decimal degrees)					
	ON BOX:			Encountered: 1)					(decimal degrees)		
	N		2) ft. 3) ft., or 4) D D WELL'S STATIC WATER LEVEL:								
				-yr)			Latitude/Longitude: unit make/model:)		
NW	NE	above la	and surface	-yr)		(WAAS enabled? ☐ Yes ☐ No)					
		~	Pump test data: Well water was ft. after hours pumping gpn				\Box Land Survey \Box Topographic Map				
W X	E	alter	Well v			Online Mapper:					
SW	SE		hours	gpm	6 Elevation:ft. Ground Level TOC						
	s	Estimated Y Bore Hole I		ft and	Source: Land Survey GPS Topographic Map						
	nile	Dore Hole L			□ Other						
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. □ Public Water Supply: well ID											
			 6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID 				11. Test Hole: well ID				
	□ Livestock 8. □ Monitoring: well ID										
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop 🔲 Horizontal 🗌 Vertical				
3. Even Feedlot Air Sparge 4. Industrial Recovery					Extraction	traction b) Open Loop □ Surface Discharge □ Inj. of 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE ? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
		le contaminati		potential source of con					· 1 . G(
Septic Sewer			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage La		Livestock Po Fuel Storage		☐ Insectic ☐ Abando			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
	├ ───┤				Notor						
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged											
11 CONT	RACTOR'S	SOR LAND	WNER'S	S CERTIFICATION	N: This wate	er well was		instructed, \Box reco	nstructed,	or \Box plugged	
Kansas Wa	iter Well Co	ntractor's Lice	eieu on (n ense No	no-day-year) This Wa	ater Well Re	cord was co	ns tru mple	ted on (mo-day-ve	ar)	se and benef.	
under the b	usiness nam	e of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
		eks.gov/waterwel					-			SA 82a-1212	