KOLAR Document ID: 1603162

WATER WELL			Division of Water					
Original Record	Correction Change F WATER WELL:	ge in Well Use Fraction		sources App. No.		Well ID	a a Numban	
County:	r WAIER WELL:	1/4 1/4 1/4		Section Number Township Number T S		R R	nge Number □ E □ W	
2 WELL OWNE	R• Last Name:	First:	·	eet or Rural Address where well is located (if unknown, distance and				
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address: City:	States	ZIP:						
3 LOCATE WELL	State:							
WITH "X" IN	VITH "X" IN 4 DEPTH OF COMPLETED WELL:				,			
SECTION ROX. Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)				
N	2) ft., or 4) Dry WELL'S STATIC WATER LEVEL:				Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:			
below land surface, measured on (mo-day-yr)					· GPS (unit make/model:)			
X - NW NE	above land surface		·· (WAAS enabled? ☐ Yes ☐ No)					
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W		s pumpingwater was		☐ Onl	☐ Online Mapper:			
SW SE	after hours pumping gpm							
	Estimated Yield:		8F		6 Elevation:ft. Ground Level TOC			
S		in. to	ft. and		Source: Land Survey GPS Topographic Map			
1 mile in. to ft. Other								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID								
 Domestic: Household 								
☐ Lawn & Garden					11. Test Hole: well ID			
Livestock					12. Geothermal: how many bores?			
2. Irrigation					a) Closed Loop Horizontal Vertical			
3. Feedlot					b) Open Loop Surface Discharge Inj. of Water			
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected?								
8 TYPE OF CASING USED: Steel PVC Other								
Casing height above land surface in. Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From ft., From ft. to ft.								
	ssible contamination: No							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
			ft.					
10 FROM TO	LITHOLO	GIC LOG	FROM	TO L	ITHO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				+				
				+				
				+ +				
			Notes:	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
	Send one copy to WATER W	VELL OWNER and retain	one for your re	cords. Fee of \$5.0	0 for each <u>constructed</u> we	ell.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								