

1 LOCATION OF WATER WELL:		Fraction NW 1/4 SW 1/4 SW 1/4		Section Number 10	Township Number T 30 S	Range Number R 1 W EW
Distance and direction from nearest town or city street address of well if located within city? 1 mile East of Ridge Road, 1/4 North of 135th So., East side of road. Peck, KS.						
2 WATER WELL OWNER:		Ira Dietrich			Board of Agriculture, Division of Water Resources	
RR#, St. Address, Box # :		12089 Crow Lane			Application Number:	
City, State, ZIP Code :		Peck, Kansas				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 65 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. 25 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr 6-27-87				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 11 in. to ft. and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well				
		Was a chemical/bacteriological sample submitted to Department? Yes No XX If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes XX No				
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped				
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile				
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below) Welded				
Blank casing diameter 5 in. to 25 ft. Dia		Cer-Mac styrene SDR-26 Threaded				
Casing height above land surface 12 in. weight 1.59 lbs./ft. Wall thickness or gauge No. 203						
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)				
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 25 ft. to 65 ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 24 ft. to 65 ft. From ft. to ft.						
6 GROUT MATERIAL:		4 Other				
1 Neat cement 2 Cement grout 3 Bentonite						
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft.						
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well				
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						
Direction from well? N.E.		How many feet? 65				
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG				
0 3 Topsoil						
3 14 Clay						
14 65 Gray Shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-27-87 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10-26-87						
under the business name of Harp Well & Pump Service, Inc. by (signature) Mary Arnold						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.						