		R WELL RECORD F	orm WWC-5 KSA		
LOCATION OF WATER WELL:	Fraction	אוווא אוווא	Section Num	20	T IN
ounty: Sumner	NW 1/4		1/4 23	т 30	S R LW EW
distance and direction from nearest tow	•		•		
From Peck, Ks. and N	Meridian_	2 So., 1W, 1	So., 🕹 W or	. So. <b>S</b> d of .	Rd. Peck, Ks.
WATER WELL OWNER: $_{ m Robe}$	ert Allen				
RR#, St. Address, Box # : 1208	37 Crow L	ane		Board of Ag	riculture, Division of Water Resour
City, State, ZIP Code : Pecl	Ks.			Application	Number:
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF C	COMPLETED WELL	スク ft. ELE	EVATION:	
AN A IN SECTION BOX:	Depth(s) Ground	dwater Encountered 1,	٠٠٠٠٠٠٠	ft. 2	ft. 3. mo/day/yr 10-14-88f
:   X -	WELL'S STATIC	C WATER LEVEL 2	ft. below land	surface measured on r	mo/day/yr4-00
NW NE	Pum	p test data: Well water	was	t. after	hours pumping g
	Est. Yield	gpm: Well water	was	t. after	hours pumping g
W - 1 E	Bore Hole Diam	eter11in. to .		t., and	in. to
" ! ! !	WELL WATER	TO BE USED AS: 5	Public water supply	8 Air conditioning	11 Injection well
	1 Domestic				12 Other (Specify below)
	2 Irrigation	4 Industrial 7	' Lawn and garden on	y 10 Monitoring well	
	Was a chemical	bacteriological sample su			; If yes, mo/day/yr sample was s
S	mitted			Water Well Disinfected	? Yes X No
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOIN	ITS: Glued X Clamped
1 Steel 3 RMP (S	R)	6 Asbestos-Cement	9 Other (specify b	elow)	Welded
2 PVC 4 ABS					Threaded
Blank casing diameter 5	.in. to 30	ft., Dia	in. to	ft., Dia	in. to
asing height above land surface	‡ <i>द</i>	∴in., weight	7	bs./ft. Wall thickness or	r gauge No •
YPE OF SCREEN OR PERFORATIO	N MATERIAL:		7 PVC	10 Asbe	stos-cement
1 Steel 3 Stainles	s steel	5 Fiberglass	8 RMP (SR)	11 Othe	r (specify)
2 Brass 4 Galvaniz	zed steel	6 Concrete tile	9 ABS	12 None	used (open hole)
CREEN OR PERFORATION OPENIN	IGS ARE:	5 Gauze	d wrapped	8 Saw cut	11 None (open hole)
	fill slot	6 Wire w	rapped	9 Drilled holes	
1 Continuous slot 3 M 2 Louvered shutter 4 K	ey punched From	7 Torch (	cut 5.0	10 Other (specify) From	ft. to ft. to ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K SCREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of Strong Intervals: From	From From Cement	7 Torch ( . 30	50 ft.,	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CCREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the short	From From Cement ft to	7 Torch ( 30 ft. to ft. ft. ft. ft. ft. ft. ft. ft. from ft. ft. from ft. from ft. ft. ft. ft. ft. ft. ft. ft. ft.	201	10 Other (specify) From From From 4 Other tt., From vestock pens	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K SCREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  1 Neat of Scrout Intervals: From	From From From From From From From Cement Ft. to 20. contamination: ral lines	7 Torch 6 30 ft. to ft. ft. ft. ft. ft. from 7 Pit privy	3 Bentonite  10 L	10 Other (specify) From From From 4 Other tt., From vestock pens	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the strength of th	From From From From From From From Cement Ft. to Footcontamination: ral lines	7 Torch 6 30 ft. to 10 ft. to 20 ft. to 2 Cement grout 10 ft., From 2 Pit privy 2 Sewage lagor	3 Bentonite  10 L  11 F  12 F	10 Other (specify) From From From 4 Other  tt., From vestock pens uel storage entilizer storage	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the second state of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep	From From From From From From From Cement Ft. to Footcontamination: ral lines	7 Torch 6 30 ft. to ft. ft. ft. ft. ft. from 7 Pit privy	3 Bentonite  10 L  11 F  12 F  13 I I	10 Other (specify) From From From 4 Other tt., From vestock pens uel storage ertilizer storage secticide storage	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of some street source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?	From From Comment Contamination: ral lines spool	7 Torch 6 . 30	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the second state of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO	ey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit	7 Torch 6 . 30	3 Bentonite  10 L  11 F  12 F  13 I I	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the second should be second should	ey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit	7 Torch 6 . 30	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the second should be second should	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit	7 Torch 6 . 30	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of sirout Intervals: From 3 What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of strout Intervals: From 3  What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of strout Intervals: From 3  What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the street of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat or rout Intervals: From 3	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the street of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat or rout Intervals: From 3	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat or rout Intervals: From 3	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the street of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of sirout Intervals: From 3 What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of sirout Intervals: From 3 What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of sirout Intervals: From 3 What is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep Direction from well?  FROM TO 0 2 topsoil 2 11 clay 11 28 grey sh	rey punched From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to 20 ft. to 20 ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of strout Intervals: From	rey punched From From From Cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to ft. ft. ft. from ft., From ft., From ft., From ft. ft. ft. from ft. ft. ft. from ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentonite  10 L  11 F  12 F  13 Ir  How	10 Other (specify) From From 4 Other vestock pensuel storage entilizer storage secticide storage many feet?  PLU	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of the strought intervals: From	rey punched From From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC	7 Torch 6 30 ft. to ft. to 20 ft. to 2 Cernent grout     ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard  LOG	3 Bentonite  10 L 11 F 13 Ir How FROM TO	10 Other (specify) From	ft. to
1 Continuous slot 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of strout Intervals: From	rey punched From From From From From cement .ft. to 20. contamination: ral lines s pool page pit LITHOLOGIC  tale ad blue si	7 Torch 6 30 ft. to ft. ft. ft. ft. ft. ft. ft. from ft. ft. ft. from ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentonite  10 L 11 F 12 F 13 Ir How FROM TO	10 Other (specify) From	ft. to
1 Continuous slot 3 M 2 Louvered shutter 4 K CREEN-PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL: 1 Neat of sirout Intervals: From	rey punched From From From From cement .ft. to 20. contamination: ral lines s pool page pit  LITHOLOGIC  Tale and blue sl  R'S CERTIFICAT LO-14-88 236	7 Torch 6 30 ft. to ft. ft. ft. ft. from ft., From ft. ft., From ft.,	### SECORT STREET STREE	10 Other (specify) From	ft. to