,		WATE	R WELL RECORD F	orm WWC-5	KSA 82a-1	212			
1 LOCATION OF WATER W		iction		1	n Number	Township Nu		Range Num	
County: Kingman		1/4	cse 1/4 se	14   18		_ ⊺ 30	S	R 10w	E/W
Distance and direction from I				Street addres	s of well if lo	cated within city	?		
ls l‡w Na	<u>ashville</u>	Ks.							
2 WATER WELL OWNER:	Union	Drig Ct	nc			5			_
RR#, St. Address, Box # : City, State, ZIP Code :								Division of Water F	Resources
				Ω	165			nknown	
3 DEPTH OF COMPLETED								. In. to	ft.
Well Water to be used as:		ublic water s	,,,	8 Air condition	•	•	ection well		
1 Domestic 3 Feedlot		il field water	Name of the last o	<ul><li>9 Dewatering</li><li>10 Observation</li></ul>		12 00	her (Specify	( Delow)	
2 Irrigation 4 Industria Well's static water level !		awn and gar				ab 30		78	
			ft. after .	•				- •	-
Est. Yield 65		water was							
4 TYPE OF BLANK CASIN			5 Wrought iron						
	3 RMP (SR)		6 Asbestos-Cement 9 Other				Welded		
	4 ABS		· •		•				
Blank casing dia5	in to	125	ft., Dia						
Casing height above land su	rface	12	in., weight	2.8	lbs./f	t. Wall thickness	or gauge N	sch 40	
TYPE OF SCREEN OR PER				7 PVC			estos-ceme		
							other (specify)		
2 Brass	4 Galvanized steel		6 Concrete tile 9				one used (open hole)		
Screen or Perforation Openia	ngs Are:		5 Gauze	d wrapped		8 Saw cut		11 None (open l	hole)
1 Continuous slot	ıs slot 3 Mill slot		6 Wire w	rapped	9 Drilled ho				
2 Louvered shutter			7 Torch				ther (specify)		
Screen-Perforation Dia									
Screen-Perforated Intervals:			ft. to 165						
			ft. to						
Gravel Pack Intervals:	From	1.0 .	ft. to165						ft.
	From		ft. to	ft.	From		ft. to		ft.
5 GROUT MATERIAL:	1 Neat ceme	nt	2 Cement grout	3 Bentoni	te 4 O	other			
Grouted Intervals: From			ft., From	ft.					
	/hat is the nearest source of possible contamination:				10 Fuel storage			14 Abandoned water well	
1 Septic tank	4 Cess pool		7 Sewage lagor	on	11 Fertilizer storage		15 Oil well/Gas well		
2 Sewer lines	5 Seepage pit		8 Feed yard		12 Insecticide storage		16 Other (specify below)		
3 Lateral lines Direction from well	6 Pit privy		9 Livestock per			ght sewer lines			
,			•						
Was a chemical/bacteriologic was submitted									
If Yes: Pump Manufacturer's		1	Goulds	Model No. 11	tm	fes	3	νοte 23	 ?∩
Depth of Pump Intake	name	110	#	Pumps Canad	ity rated at	50		ر.ت ۷۵۱۱۵۰	aal/min
	1 Submersible			3 Jet		ugal 5 F			-
6 CONTRACTOR'S OR LA								<del></del>	· <del></del>
completed on									
and this record is true to the									you
This Water Well Record was	completed on.	#2	m	onth9		lav ∧80		year under the	busines
name of Ke	llys Wat	erwell	Serv#	y (signature)	KOIO	Daine		your andor and	
7 LOCATE WELL'S LOCAT		ТО	LITHOLOGI	IC LOG	FROM	то	LI	THOLOGIC LOG	
├─ WITH AN "X" IN SECTI	ON O	50	Top Soi	l-Clay					
BOX:	50	75	Fine Sa	ınd	Will the matrix rate of the control				
N	75	115	Clav						
	115	165	Sand-Gr	avel					
NW NE									
M Mile	E								
- ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;									
		<del></del>							
1 L 1 S								to the same of the	
11 Mile		<b></b>							
ELEVATION: unknown		1,0							
Depth(s) Groundwater Encou								eet if needed)	
INSTRUCTIONS: Use typew copies to Kansas Department	riter or ball poin of Health and E	r pen, <i>please</i> invironment	press tirmly and PRINT Division of Environment N	clearly. Please Water Well Con	till in blanks, tractors. Tone	underline or circleka, KS 66620. Se	e the corrected one to W	ct answers. Send VATER WELL OW	top three
retain one for your records.					, , <b></b>				