		WATE	R WELL RECORD	orm WWC-5	KSA 82a			
	N OF, WATER WELL:	Fraction			ction Number	Township Num	ber	Range Number
ounty: K	Ngmo~			1/4	35	T 30	S	R /O €€
istance and	d direction from nearest to	wn or city street a	address of well if located	within city?				
	WELL OWNER: Dake							
		Box 60				9		ivision of Water Resource
ity. State, Z	ZIP Code : NGSI	ville, Ks	67112			Application N		
LOCATE \	WELL'S LOCATION WITH SECTION BOX:							
7304 / 104	N N		dwater Encountered 1.					
	! ! ! ! ! !		WATER LEVEL I					
	1 1 X		p test data: Well water					
1		Est. Yield	gpm: Well water	was	ft. af	ter	hours pur	mping gp
w	<u> </u>	Bore Hole Diam	eter 6 in. to .	82		ınd	in.	to
" [! ! '	WELL WATER	TO BE USED AS:	Public water	er supply	8 Air conditioning	11 !	njection well
	SW SF	1 Domestic	3 Feedlot 6	Oil field wa	iter supply	9 Dewatering	12 (Other (Specify below)
	344 35	2 Irrigation	4 Industrial 7	Lawn and	garden only	0 Monitoring well.	<i>.</i>	• • • • • • • • • • • • • • • • • • • •
		Was a chemical	/bacteriological sample su	bmitted to D	epartment? Ye	sNo	; If yes,	mo/day/yr sample was su
	\$	mitted			Wat	er Well Disinfected?	Yes 🗸	No
TYPE OF	BLANK CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN	rS: Glued	Clamped
1 Stee	3 RMP (9	SR)	6 Asbestos-Cement	9 Other	(specify below	')	Welde	ed
2 PVC	4 ABS		7 Fiberglass		<i></i>		Threa	ded 🗸
lank casing	diameter2	in. to 7 . 1	ft., Dia	in. to		ft., Dia	i	n. to 1
	ht above land surface). , , . ,
YPE OF SO	CREEN OR PERFORATION	ON MATERIAL:		7 PV	-	10 Asbes		
1 Steel 3 Stainless steel			5 Fiberglass	8 RM	8 RMP (SR)		1 Other (specify)	
2 Brass 4 Galvanized steel			6 Concrete tile	9 AB	9 ABS		used (op	en hole)
CREEN OR PERFORATION OPENINGS ARE:			5 Gauze	d wrapped	wrapped 8 Saw o			11 None (open hole)
1 Cont	tinuous slot 3 I	Mill slot	6 Wire w	rapped	_	9 Drilled holes		• • • • • • • • • • • • • • • • • • • •
2 Louv	vered shutter 4 I	Key punched	7 Torch	cut		10 Other (specify)	.	
OREEN-PE	ERFORATED INTERVALS	: From7	7 ft. to	8.2	ft., Fron	n	ft. to) .
		From	ft. to		ft., Fron	n	ft. to)
GF	RAVEL PACK INTERVALS	: From2	እ5 ft. to	. 82	ft., Fron	n	ft. to), . , . , , . ,
	I HARMAN AND THE THE SALE AND A S	From	ft. to		ft., Fron			
GROUT N		cement	2 Cement grout	3 Bento				
rout Interva	als: From O	.ft. to 21.5	ft., From 21	, 5 ft.	to25	ft., From		. ft. to
that is the	nearest source of possible	contamination:			10 Livest	ock pens	14 At	andoned water well
1 Septic tank 4 Lateral lines			7 Pit privy	7 Pit privy 11 Fuel st		torage	15 Oi	l well/Gas well
2 Sewe	er lines 5 Ces	s pool	8 Sewage lagor	on	12 Fertiliz	zer storage	16 Ot	her (specify below)
3 Wate	ertight sewer lines 6 See	page pit	9 Feedyard		13 Insect	icide storage .		
rection from	m well? NORTH				How man	y feet? 600	+	
FROM	. то	LITHOLOGIC	LOG	FROM	ТО	PLU	gging in	ITERVALS
0	5 Clay &	Fine Sand			l			
5	10 Fine S				l			
10	20 Clay	& Fine to M	Tedium Sand		l			
20	35 Clay							
35		Sand & Cla	и					
40		un Sand						
60	75 Fine	to Medium	Sand		1			
	81 Medi	in SAND	~/Snau Grave					
75	88 Red C	lay, Sho	e & Silve		1			
		7,						
1						And the second s		
	7 M.	49 (Marie) 10 (M	**************************************	1				
CONTRA	CTOR'S OR I ANDOWNE	B'S CERTIFICAT	ION: This water well	(II)	otod (0) ====	potruoted == (0) =t		or many hard-distance and
no batalous	.CTOR'S OR LANDOWNE	7-23-6	7 <i>7</i>	CONSTRU	and this reserve	istructed, or (3) plug	gyea una:	er my jurisdiction and wa
	Contractor's License No.		This Water We	II Donord				wledge and belief. Kansa
		-		ii necora wa	is completed o	ii (mo/dayryr)	: اچ. تا م	1
or the bu	isiness ridine Oi	WBONK I	JC		by (signati	ire //// //	-	wearle