WATER WELL RECORD		Form WWC-5		Division of Water Resources; App. No.				
1 LOCATION OF WATER WELL:		raction	4.7	Section No			Range Number	
County: Kingman  Distance and direction from nearest town or city		SE 1/4 SE 1/4 NW 1/4				T 30 S	R 10 E/W	
1 1 1 11 1 10					Global Positioning Systems (decimal degrees, min. of 4 digits)			
515 5. Gregory St., Nashulle, KS 67112				Latitude:				
2 WATER WELL OWNER: St. John Lutheran Chu			ce h	Longitude: Elevation:				
RR#, St. Address, Box #	Datum:							
RR#, St. Address, Box # : 515 5. Gregory St. City, State, ZIP Code : Nashville, KS 67112				Data Collection Method:				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
LOCATION								
WITH AN "X" IN Dep	Depth(s) Groundwater Encountered (1)							
	WELL'S STATIC WATER LEVEL2.3 ft. below land surface measured on mo/day/yr. 3/12/10							
N	Pump test data: Well water was							
WELL WATER TO BE USER AS: 5 Public water supply 9 Air conditioning 11 Injection well								
WELL WATER TO BE USED AS: 3 Fubility Water supply 8 Air conditioning 11 injection went 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel							ner (Specify below)	
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW SE W								
Sample was submitted								
S								
				CASING JOINTS: GluedX Clamped				
2 PVC 4 ABS	7 Fiberglass					Threaded		
Blank casing diameter 5	in. to <b>9.6</b>	ft., Diameter	ວັ iາ	n. to/C/-	<i>i29</i> ft	Diameter	in. toft.	
Blank casing diameter 5 in. to 96 ft., Diameter 5 in. to/01-129 ft., Diameter in. to ft. Casing height above land surface 24 in., Weight lbs./ft. Wall thickness or guage No 160051								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvaniz	ied Steal 6 Concrete	e tile 8 RM (SR)	10 A	Asbestos-C	ement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL:	Neat cement 2 Cen	nent grout 3 Ben	tonite	ندز 4 Other	,			
	.3 ft. to2.		78	ft. to <b>%</b> .	. <b>/</b> ft	., From <b>/ ./ .O</b>	ft. to .//. <b>3</b> ft.	
What is the nearest source of possible contamination:								
1 Septic tank 2 Sewer lines	• •							
	•	0 0		•				
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well How many feet?								
FROM TO	LITHOLOGIC LO		FROM		_,	PLUGGING INTI	ERVALS	
6 Z Soi			1/3	120		Fine Sand		
2 12 Fine	Sand & Write	Clay	120	129		ed Clay		
12 25 Fine	Sand		129	132	<del>- 3</del>	sand,		
35 35 Tan	flay .		132	134	K	ed Shale		
35 78 Sant	d w/ fines							
6 2 Soin 2 12 Fine 3 12 25 Fine 35 78 Sant 78 83 Yello 83 101 Sand	willay Str	en K						
101 107 Gres	V Clay			1				
107 110 Whi	te Sand							
110 113 Gray Clay								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 2/.1.2/1.0 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 1.40 This Water Well Record was completed on (mo/day/gear)3/.28/.10								
under the business name of Lyman's Line, by (signature) Wildin himself and by the line or cite the correct answers. Send top								
three copies to Kansas Department of	Health and Environment, B	Bureau of Water, Geolog	gy Section,	1000 SW Jac	ckson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/ind	CA-HUIII.							