

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Barber		NW 1/4 NW 1/4 NE 1/4	24	T 30 S	R 11 E/W
Distance and direction from nearest town or city street address of well if located within city? 1 S 2 1/2 west of Nashville					
2 WATER WELL OWNER: Mrs Loren Rolf			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: Isabel, Ks. 67 67065			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 92 ft. ELEVATION:		
			Depth(s) Groundwater Encountered 1. 42 ft. 2. ft. 3. ft.		
			WELL'S STATIC WATER LEVEL 40 ft. below land surface measured on mo/day/yr 7-21-92		
			Pump test data: Well water was ft. after hours pumping gpm		
			Est. Yield 12 gpm: Well water was ft. after hours pumping gpm		
Bore Hole Diameter 9 in. to 92 ft. and in. to ft.			WELL WATER TO BE USED AS:		
1 <u>Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			5 Public water supply 8 Air conditioning 11 Injection well		
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted			Water Well Disinfected? Yes <u>No</u>		
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: <u>Glued</u> Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		<u>Welded</u>	
Blank casing diameter 5 in. to 84 ft. Dia		7 Fiberglass		<u>Threaded</u>	
Casing height above land surface 18 in. weight lbs./ft. Wall thickness or gauge No. 210					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 <u>PVC</u> 10 Asbestos-cement		8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole)		9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 84 ft. to 92 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 92 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)		13 Insecticide storage			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? none with in 500 ft open pasture How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	soil			
1	6	clay			
6	14	sand			
14	20	fine sand			
20	42	clay			
42	59	sans			
59	63	clay			
63	75	sand			
75	83	clay			
83	91	fine sand			
91	92	clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-21-92 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 140 This Water Well Record was completed on (mo/day/yr) 8-10-92					
under the business name of Lyman Inc. by (signature) <i>Dean E. Lyman</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4