129 8244 WATER WELL RE		Form WWC-	5	Division of V	Vater Resources; App. No	BA3
1 LOCATION OF WA	TER WELL:	Fraction			per Township Numb	
County: Barber		NW 1/4 SW 1/4 N		5	T 30 S	R 11 E W
Distance and direction from nearest town or city street address of well if located within city? East approximately 1/10 mile south southeast of the				Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37.466272		
intersection of Chickadee Rd. and Sante Fe Ave. in Isabel				Lantinde: 57.460272 Longitude: -98.554935		
2 WATER WELL OW	Elevation: Unknown					
RR#, St. Address, Box # : P.O. Box 87				Datum: NAD83		
City, State, ZIP Code : Isabel, KS 67065-0087				Data Collection Method: WAAS GPS Unit		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 116.4' ft.						
LOCATION						
WITH AN "X" IN SECTION BOX:	WELL'S STATIC WATER LEVEL 80 ft. below land surface measured on mo/day/yr 02-07-07					
Pump test data: Well water was Not checked ft. after hours pumping gp Est. Yield Unknown gpm: Well water was ft. after hours pumping gp						
	Est. Yield Unknown gpm: Well water was					
NWNE X		_				
W ^ E					Dewatering 12	Other (Specify below)
SWSE		Industrial 7 Dome				***************************************
Was a chemical/bacteriological sample submitted to Department? Yes No						If yes, mo/day/yrs
S	Sample was submitte	d	Water	r well disinfecte	ed? Yes 🗸 No	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Ashestos-Cement 9 Other (specify below) Welded						
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 8 in. to 94.1 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 28 in., weight 5.54 lbs./ft. Wall thickness or gauge No322						
Blank casing diameter 8 in. to 94.1 ft., Diameter in. to ft., Diameter in. to ft.						
TVDE OF COPEN OF DEDEODATION MATERIAL.						
Steel 3 Stainless Steel 5 Fiberglass (7) PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)						
SCREEN-PERFORATED INTERVALS: From 96 ft. to 116.4 ft., From ft. to ft.						
From ft. to ft., From					m ft. to	ft.
GRAVEL PACK INTERVALS: From 10 ft. to 116.4					m ft. to	ft.
SCREEN-PERFORATED INTERVALS: From 96 ft. to 116.4 ft., From ft. to ft. to ft. GRAVEL PACK INTERVALS: From 10 ft. to 116.4 ft., From ft. to ft. to ft. From ft. to ft., From ft. to ft. to ft. 6 GROUT MATERIAL: 1) Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug						
6 GROUT MATERIAL	Neat Cement 2	Cement grout 3 Ben	tonite (4)Other	Bentonite Ho	neplug
Grout Intervals: From 0 ft. to 2 ft., From ft. to ft., From 2 ft. to 10 ft. What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 insecticide storage (16) Other (specify						
2 Sewer lines	•	0 0	Fuel sto		Abandoned water well	below) None known
3 Watertight sewer lines		1 ccaj ara			Oil well/gas well	None known
Direction from well? FROM TO	LITHOLOGIC LO		low man FROM		PLUGGING IN	TEDVALS
FROW TO	LITHOLOGIC LO	30	TROM	10	1 LOGOING IN	TERVALS
Insta	alled 8" casing and so	creen liner into				
exis	ting 12" well.					
						3110
7 CONTRACTOR'S OF	R I ANDOWNED'S CI	RTIFICATION	nie weter	well was (1)	constructed (2V races	structed (3) plugged
7 CONTRACTOR'S OF under my jurisdiction and w	vas completed on (mo/day	/year) 02-07-07	us water an	d this record is to	rue to the best of my know	wledge and belief.
Kansas Water Well Contrac	ctor's License No.	This Water V	Well Reco	ord was complete	ed on (mo/day/year)	02-14-07
Under the business name of					me Willow	
INSTRUCTIONS: Use typewr copies to Kansas Department of						
785-296-5522. Send one to WA						112 1207. Telephone