


1 LOCATION OF WATER WELL: Fraction NE 1/4 Section Number 7 Township Number T 30 S Range Number R 13 E (W)
 County: Barber
 Distance and direction from nearest town or city street address of well if located within city?

B 3-S 5-W of Sawyer

2 WATER WELL OWNER: Rita Bell
 RR#, St. Address, Box # : Rt. 1 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Sawyer, Ka. 67134 Application Number T90-0174

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 132 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 64 ft. 2. 64 ft. 3. 64 ft.
 WELL'S STATIC WATER LEVEL 64 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 64 ft. after 64 hours pumping 64 gpm
 Est. Yield 64 gpm: Well water was 64 ft. after 64 hours pumping 64 gpm
 Bore Hole Diameter 9 in. to 9 ft., and 9 in. to 9 ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded
 Threaded
 Blank casing diameter 5 in. to 1.12 ft., Dia 5 in. to 1.12 ft., Dia 5 in. to 1.12 ft.
 Casing height above land surface 1.2 in., weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 1.12 ft. to 1.32 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 132 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage none
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	TOP SOIL			
# 3	40	Clay			
40	132	Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-8-99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 462-E This Water Well Record was completed on (mo/day/yr) 5-14-99 under the business name of Sam's Water Well Service by (signature) [Signature]

OFFICE USE ONLY
T
R
SEC.
1/4
1/4
1/4