<b>LOCATION OF WA</b>									
000000		Fraction NE 1/4	SE 1/4		tion Number 10	1 70		Range I	
			dress of well if local	74		T 20	S	R	E/W
stance and direction	i ilom nealest tow		S 3-W DF SA						
WATER WELL OV	VNER F.G.H								
R#, St. Address, Bo	x # 6427 E.	KELLOGG				Board of	Agriculture, [	Division of Wa	ter Resource
ty, State, ZIP Code	WICHITA	A,KS. <b>02078</b> ?	67207			Applicatio	n Number T	<b>1-</b> 0349	
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH	DEPTH OF CO	OMPLETED WELL.			ATION:			
	CASING USED: 3 RMP (SR 4 ABS 4 ABS 5 ABS	Pump Est. Yield Bore Hole Diamet WELL WATER TO 1 Domestic 2 Irrigation Was a chemical/b mitted  in. to82 MATERIAL: steel ed steel GS ARE: Il slot	4 Industrial acteriological sample 5 Wrought iron 6 Asbestos-Cemen 7 Fiberglassft., Dia in., weight 5 Fiberglass 6 Concrete tile 5 Gau 6 Wire	ter was  ter was  5 Public wate 6 Oil field wa 7 Lawn and 9 submitted to D  8 Concr. 9 Other  in. to  XXPV 8 RM 9 AE 12 2 2 2 2 2 2 2 3 2 2 2 2 3 2 2 2 3 2 3	er supply ter supply garden only epartment? \ \text{W} ete tile (specify belo \text{L} \text{L} \text{L} \text{L} \text{SR} \text{C} \text{IP (SR)}	after	hours purchours	mping to Injection well Other (Specify Mo X I X Clamed int to on to en hole) 11 None (op	gpmgpmft. / below) mple was sub
i Continuous si				• •		10 Other (speci			
<b>0</b> 1							TVI		
2 Louvered shut CREEN-PERFORAT		From	7 Tord	102		om	ft. to		
GRAVEL PA  GROUT MATERIA rout Intervals: Fro	CK INTERVALS:  L: 1 Neat com	From	82 ft. to	102 102	to	om	ft. to ft. to ft. to	oooooooooo	
GRAVEL PA  GROUT MATERIA rout Intervals: Fro	CK INTERVALS:  L: 1 Neat com	From From From ement 2 ft. to 20 contamination:		102 102	ft., Fro ft., Fro ft., Fro onite 4 to	om	ft. to ft. to ft. to	o	
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines	CK INTERVALS:  L: 1 Neat com	From From From ement 2 ft. to2[] contamination: al lines pool		102 102 	ft., Fro ft., Fro ft., Fro onite 4 to 10 Live	omomomomomomomomomomotheroth	ft. to ft	oooooooooo	ft
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	CK INTERVALS:  L: 1 Neat com	From From From ement 2 ft. to2[] contamination: al lines pool	82 ft. to	102 102 	ft., From tt., From t	om	ft. to ft	oooooo	ft
GRAVEL PA GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severetion from well?	CK INTERVALS:  L: 1 Neat com	From From From ement 2 ft. to2 contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	CK INTERVALS:  L: 1 Neat or ource of possible of 4 Latera 5 Cess wer lines 6 Seepa	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 102 	ft., From tt., From t	om	ft. to ft	of the to the control of the control	ft
GRAVEL PA GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	ftftft
GRAVEL PA GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev frection from well? FROM TO 0	CK INTERVALS:  L: 1 Neat communication (I) Course of possible of 4 Latera 5 Cess wer lines 6 Seepa TOP SOIL GRAVEL	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	ftftftft. er well
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	ftftft
GROUT MATERIA COUT Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 1	CK INTERVALS:  L: 1 Neat communication (I) Course of possible of 4 Latera 5 Cess wer lines 6 Seepa TOP SOIL GRAVEL	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PARAMETERIA GRAVEL PARAME	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PARAMETERIA GRAVEL PARAME	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PARAMETERIA GRAVEL PARAME	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PARAMETERIA GRAVEL PARAME	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severetion from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 3 3 75 75 80	CK INTERVALS:  L: 1 Neat com	From From From From ement 2 ft. to2[] contamination: al lines pool age pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	102 3x與ento ft.	ft., From the ft	om	14 Al	of the to the control of the control	
GRAVEL PA GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0	CK INTERVALS:  L: 1 Neat com	From		3x Rento	to	om	14 Al 15 O 16 O	ther (specify by NTERVALS	ftftftftft
GRAVEL PA GRAVEL PA GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevice irrection from well? FROM TO 0 \$\mathbb{B}\$ 3 75 75 80 80 102  CONTRACTOR'S	CK INTERVALS:  L: 1 Neat com	From		3x Rento	to	om	ft. to ft	o	tion and wa
GRAVEL PA GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severetion from well? FROM TO 0 \$\frac{1}{2}\$ 3 3 75 75 80 80 102  CONTRACTOR'S completed on (mo/day)	CK INTERVALS:  L: 1 Neat com	From		3x Rento	to	om	ft. to ft	o	tion and was
GRAVEL PA GRAVEL PA GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 \$\frac{1}{2}\$ 3 3 75 75 80 80 102  CONTRACTOR'S empleted on (mo/day)	CK INTERVALS:  L: 1 Neat com	From	N: This water well	3x Rento	to	om	ft. to ft	o	tion and wa