

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Barber

Location listed as:

Section-Township-Range: _____

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location ~~changed~~ to:

2-305-15W

SE NW NW

Other changes: Initial statements: Pratt County

Changed to: Barber County

Comments: _____

verification method: Written & legal descriptions, position on plat map,
and Lake City, Sun City NE, & Sun City 1:24,000
topo. maps. initials: DRD date: 9/24/2003

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 COUNTY: 076 PRATT SE 1/4 NW 1/4 NW 1/4 2 T 30 S R 15 W

Distance and direction from nearest town or city street address of well if located within city?
 7 1/2 N, & 1/2 W. OF LAKE CITY KS

2 WATER WELL OWNER: WILLIAM F. LEE 222 Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: ROUTE 1
 City, State, ZIP code: COATS, KS 67124- Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 54 ELEVATION:	
		Depth(s) Groundwater Encountered 1. 18 ft. 2. ft. 3. ft.	
		WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr	
		Pump test data: Well water was ft. after hours pumping gpm	
		Estimated Yield gpm: Well water was ft. after hours pumping gpm	
		Bore Hole Diameter 8.75 in. to 54 ft. and in. to ft.	
		WELL WATER TO BE USED AS: 01 DOMESTIC	
		Was a chemical/bacteriological sample submitted to department? No	
		If yes, mo/day/yr sample was submitted Water well disinfected? Yes	

5 TYPE OF BLANK CASING USED: 02 PVC CASING JOINTS: GLUED
 Blank casing diameter 5 in. to 24 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 12 in., weight lbs/ft. Wall thickness or gauge No. 26
 TYPE OF SCREEN OR PERFORATION MATERIAL: 07 PVC
 SCREEN OR PERFORATION OPENINGS ARE: 08 SAW CUT

SCREEN PERFORATED INTERVALS: From 24 ft. to 54 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 24 ft. to 54 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL 03 BENTONITE
 Grout intervals: From 24 ft. to 54 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: 02 SEWER LINES
 Direction from well? N how many feet? 75

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
	8	TAN CLAY			
8	10	05 SAND AND 17 GRAVEL			
10	26	TAN CLAY			
26	40	05 SAND AND 17 GRAVEL			
40	42	BLACK CLAY			
42	52	05 SAND AND 17 GRAVEL			
52	54	GREY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 7 /30/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 224 This Water Well Record was completed on (mo/day/yr) 08/29/93 under the business name of CARL HAYSE WATER WELL SVC by (signature) Carl Hayse