WATER	R WELL	RECORD	Form WWC-5			r Resources App. No		
		F WATER WELL:	Fraction	Section N		Township No.	Range Number	
Count	ty: BARB	ER	1/4 SW 1/4 SW 1/4 NE			T 30 S	R 15 E W	
			f unknown, distance & direction wher's address, check here		osmoning	System (GPS) in	(in decimal degrees)	
11 0111 1	iicai est tov	vii of intersection. If at t	JWHEL'S address, effect field		Longitude: (in decimal degrees)			
				Elevation	n:			
2 33/47	red wei	I OWNED: 55 DOI	OVED			4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: ED BRICKER RR#, Street Address, Box #: P.O. BOX 246				Collection	Collection Method:  GPS unit (Make/Model:)			
,	State, ZIF		OKEE, OK 73728	Digi Digi	tal Map/Ph	oto, 🗌 Topographi	c Map, 🔲 Land Survey	
				Est. Accu	racy: $\square$ <	3 m, ☐ 3-5 m, ☐	5-15 m,  >15 m	
	ATE WELI I AN "X" I		COMPLETED WELL .44		ft.			
	ION BOX							
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping gpm							
	EST. YIELD. 12gpm. Well water wasft. afterhours pumpinggpm  Bore Hole Diameter 12.25							
W	X	E Bore Hole Diam	TO BE USED AS: Public	t., and water supply	∏ Ge	othermal [7]	Injection well	
	GW   GF							
3W	Irrigation Industrial Domestic-lawn & garden Monitoring well							
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted     mile  Water well disinfected?  \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \								
water werr districted: [y] 1 es [] 100								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter 6 in. to .37 ft. Diameter in. to ft., Diameter ft., Diameter in. to ft.								
Casing height above land surface. 24 in., Weightlbs./ft., Wall thickness or gauge NoSDR17								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
Fromft. toft., Fromft. toft.								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other  Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		well N/A		nce from well			.,,,,,,,,,,	
FROM	ТО	LITHOLOG					UGGING INTERVALS	
0		TOPSOIL						
10		RED CLAY						
25 35		<u>RED CLAY/LITTLE GF</u> RED SHALE	RAVEL		nimren vy			
35	45	KED SHALE						
							A CONTRACTOR OF THE CONTRACTOR	
							1.44.274.201	
							. Additional of the second of	
7 CONT	TDACTO	D'S OR LANDOWNE	P'S CERTIFICATION: This	water well was	s 🚺 consti	ructed Treconst	ructed, or nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .5/14/13								
Kansas Water Well Contractor's License No. 864 This Water Well Record was completed on (mo/day/year) .5/21/13								
under th	ne husiness	aname of CRESCEN	T SERVICES.LLC	by (sign	nature) 🛴	CC 77[69.].		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524 Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html.