	R WELL F		Form W	WC-5	Division of Water Resources App. No.
	ATION OF ty: BARBER	WATER WELL:	Fraction 1/4 NE 1/4 NE	1/4 NW 1/4	Section NumberTownship No.Range Number28T30SR15□E☑W
Street	/Rural Addre	ess of Well Location;	if unknown, distance &		Global Positioning System (GPS) information:
from	nearest town	or intersection: If at	owner's address, check	here .	Latitude: (in decimal degrees)
					Longitude: (in decimal degrees)
					Elevation: Datum: WGS 84, NAD 83, NAD 27
2 WAT	TER WELL	OWNER: ED BRI	CKER		Collection Method:
	Street Addre	ess, Box #: P.O. BC			GPS unit (Make/Model:)
City,	State, ZIP C	^{ode} : CHERC	KEE, OK 73728		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
3 100	ATE WELL				Est. Accuracy:
	I AN "X" IN	4 DEPTH OF	COMPLETED WELI	, 27	ft.
	ION BOX:	Depth(s) Ground	lwater Encountered	(1)	ft. (2) ft. (3) ft.
	Ν	WELL'S STAT	IC WATER LEVEL?	.0ft.	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr. 5/17/13
	N I	Pump	test data: Well wate	r was	ft. after hours pumping gpm
	/ NE	EST. YIELD. 12	2gpm. Well water	was	ft. after hours pumping gpm
W		E Bore Hole Diam	eter !.4.49in. to	†9fi	t., andft.
		WELL WATER ▼ Domestic			er supply
SW	7 SE	☐ Irrigation			vn & garden Monitoring well
<u> </u>					Department? Yes V No
	S		day/yr sample was sub		
	1 mile	Water well disin	fected? 📝 Yes 🗌	No	
5 TYPE OF CASING USED: Steel V PVC Other					
CASING JOINTS: 🗹 Glued 🗌 Clamped 🔲 Welded 🔲 Threaded					
Casing diameter .6. in. to .37. ft., Diameter in. to ft., Diameter in. to ft.					
Casing height above land surface. 24 in., Weight in., Weight Wall thickness or gauge No. SDR17					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From 20 ft. to 40 ft., From ft. to ft.					
From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other					
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
✓ Septic tank					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
					from wellN/A
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0		PSOIL	0041/01		
5 25		HT SAND/HEAVY	GRAVEL		
25	30 GR	AY CLAY			

m ~ ~ ~ · · ·	ID 1 67 33 3			A	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .5/28/13					
Under my jurisdiction and was completed on (mo/day/year) .9/29/19					
under th	water wen C e business na	me of CRESCENT	COLLEGIO SERVICES.LLC	vator well K	by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to					
					200 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.

http://www.kdheks.gov/waterwell/index.html