				WAI	EH WELL	RECORD	Form WWC	5 KSA 82	a-1212		
	ON OF WA	TER WELL	<u>.</u> :	Fraction NW 1	, NW		SE 1/4 Se	ection Numbe	Township		Range Number
	Kiowa	from near	est town	n or city street	/ <b>4</b>	/4			1 7 7	S	R +/" E/W
_				rg, Kansa		oi weii ii ioca	led within city				
	R WELL OV			Kane		10 14:::::::::::::::::::::::::::::::::::	Red Tige	r			
•	Address, Bo	- · · · · · -	Box K				1720 Ks.	St. Bar	k Bldgeard of	Agriculture.	Division of Water Resource
	, ZIP Code		Bartle	esville, (	Øk.		Witohita,	Ks. 672	02 Application	on Number:	T82-422
LOCATI		OCATION	WITH 4	DEPTH OF	COMPLE	TED WELL.	100	4 FLEV	ATION Unkno	own	8/29/82 ft
. r	1	1 1	$\neg \mid \cdot$	WELL'S STATI	C WATE	R LEVEL	53 ft.	below land s	urface measured of	on mo/dav/vr	8/29/82
-	NW	NE -	_	Pur	np test da	ata: Well wa	iter was	ft.	after	hours pu	ımping gp
<u>.</u>	i	l i_									. <b>to</b>
₹	ı	X i	ו' ד	WELL WATER	TO BE U	JSED AS:	5 Public wa	ter supply	8 Air conditioning	ng 11	Injection well
; l	l sw	   SE -	11	1 Domesti	с 3	Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (Specify below)
	2W	36 -	· <b>-  </b>	2 Irrigation	1 4	Industrial	7 Lawn and	garden only	10 Observation v	vell	
L	<u>    i                                </u>	1	_   \	Was a chemica	I/bacterio	logical sample	submitted to l	Department? \	/esNo	; If yes	, mo/day/yr sample was si
		S	!	mitted				w	ater Well Disinfec	ted? Yes	No
TYPE	OF BLANK (				5 Wro	ought iron	8 Cond	rete tile	CASING J		d Clamped
1 Ste			MP (SR			estos-Cemen	t 9 Othe	r (specify belo	ow)	Weld	led
2 <u>PV</u>		4 AI		40	7 Fibe	erglass					aded
											in. to 1
-	-				in., we	ight					lo. Sch. 40
				MATERIAL:			7 P	-		sbestos-ceme	
1 Ste			tainless			erglass		MP (SR)			1
2 Bra			alvanize		6 Con	crete tile	9 A	BS		one used (or	•
	OR PERFO						zed wrapped		8 Saw cut		11 None (open hole)
	ontinuous slo		3 Mill				wrapped		9 Drilled holes		
	uvered shut			y punched	ø.c	7 Tor	ch cut_		10 Other (speci	ify)	
うしHFFN・・					0		100	4 -			-
		ED INTER		From		ft. to		ft., Fro	om	ft. 1	io
	GRAVEL PA			From		ft. to	100	ft., Fro	om	ft. 1	o
(	GRAVEL PA	CK INTER	VALS:	From From From	10	ft. to ) ft. to ft. to	100	ft., Fro ft., Fro ft., Fro	om	ft. 1 ft. 1 ft. 1	o
GROUT	GRAVEL PA	CK INTER	VALS:	From From From	2 Ceme	ft. to  ft. to  ft. to	100 3 Ben	ft., Fro ft., Fro ft., Fro onite 4	om	ft. 1	10
GROUT Grout Inter	GRAVEL PA	CK INTER	VALS: Neat ce	From From From ement t. to10	2 Ceme	ft. to  ft. to  ft. to	100 3 Ben	ft., Fro ft., Fro ft., Fro onite 4 to	om  Other  ft., From	ft. f	. ft. to
GROUT Grout Inter	GRAVEL PA  MATERIAL  rvals: Fro e nearest so	CK INTER	VALS: Neat ce	From From From From From From From From	2 Ceme	ft. to  ft. to  ft. to  ent grout  From	3 Bent ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om  Other  ft., From stock pens	ft. 1	to
GROUT Grout Inter What is the	GRAVEL PA  MATERIAL  rvals: Fro  e nearest so  ptic tank	CK INTER  .: 1 m(	VALS:  Neat ce  Nestine  Neat ce  Lateral	From From From From From From From From	2 Ceme	ft. to ft. to ft. to ft. to ent grout from	3 Ben	ft., From the fit., From the f	om Other Otter Stock pens storage	ft. 1 ft. 1 ft. 1	to
GROUT Grout Inter What is the 1 Se 2 Se	GRAVEL PA  MATERIAL  rvals: Fro  e nearest so  ptic tank  wer lines	CK INTER  .: 1 m( purce of po	Neat con Nea	From From ement t. to10 contamination: I lines	2 Ceme	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la	3 Ben	ft., From tt., From	om Other Other stock pens storage	ft. 1 ft. 1 ft. 1	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	GRAVEL PA  MATERIAL  rvals: Fro e nearest so eptic tank wer lines atertight sew	CK INTER  .: 1 m(  purce of po	Neat ce Described Neat ce Describe Neat ce Described Neat Described Neat ce Described Neat ce Described Neat Described Neat ce Described Neat ce Described Neat Described Neat	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme	ft. to ft. to ft. to ft. to ent grout from	3 Ben	ft., From the first	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f	GRAVEL PA  MATERIAL  rvals: Fro e nearest so ptic tank wer lines atertight sew rom well?	CK INTER  .: 1 m(  purce of po	Neat con Nea	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la	3 Bent ft.	ft., From tt., From	om Other Other stock pens storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	GRAVEL PA  MATERIAL  rvals: Fro e nearest so ptic tank wer lines atertight sew rom well?  TO	CK INTER  .: 1 m( purce of po	Neat ce Described Neat ce Describe Neat ce Described Neat Described Neat ce Described Neat ce Described Neat Described Neat ce Described Neat ce Described Neat Described Neat	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la	3 Ben	ft., From the first	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for	MATERIAL rvals: Fro e nearest so eptic tank ewer lines atertight sew rom well? TO 20	CK INTER  1 m (  Durce of power lines 6	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for	MATERIAL rvals: Fro e nearest so eptic tank ewer lines atertight sew rom well? TO 20	CK INTER  1 m (  Durce of power lines 6	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage cticide storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage cticide storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage cticide storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85	ck INTER  1	Neat ce Neat ce D	From From ement t. to10 contamination: I lines pool ge pit	2 Ceme ft.	ft. to  ft. to  ft. to  ft. to  ent grout  From  7 Pit privy  8 Sewage la  9 Feedyard	3 Bent ft.	ft., From tt., From	om Other Other Stock pens storage clizer storage cticide storage	14 A	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 85	MATERIAL rvals: Fro e nearest so ptic tank wer lines atertight sew rom well?  TO 20  85 100	ck INTER  1	Neat ce Described to Latera Government of Cess parts Government of Cess parts Government of Cess parts Neather of Cess parts Government of Cess parts South	From From From From It to 10 contamination: I lines pool ge pit  LITHOLOGIC with clay	2 Cemeft.	ft. to ft. to ft. to ft. to ent grout From Pit privy Sewage la Feedyard	3 Bent ft.	to	om Other Other Stock pens storage lizer storage cticide storage any feet?	14 A 15 C 16 C	to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 85	MATERIAL rvals: Fro e nearest so ptic tank wer lines atertight sew rom well? TO 20 85 100	CK INTER  1	Neat ce Neat ce Described to Latera Government of Cess particles Seepa South	From From From From From From From From	2 Ceme t. ft.	ft. to ft. to ft. to ft. to ft. to ent grout From From From From Freedyard Freedyard  s water well	3 Bent ft.  goon  FROM  was (1) constr	to	om  Other  Other  Stock pens  Storage  Uizer storage  cticide storage  any feet?  Onstructed, or (3)	14 A 15 C 16 C LITHOLOG	der my jurisdiction and wa
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0 20 85	MATERIAL rvals: Fro e nearest sc eptic tank ewer lines atertight sew rom well? TO 20 85 100	ck INTER  1	Neat ce  Neat ce  Latera  Cess p  Seepa  South  Sand	From	2 Ceme LOG strea	ft. to  ft. to	3 Bent ft.  goon  FROM  was (1) constr	to	om	plugged unkerst of my kn	der my jurisdiction and wa
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0 20 85	MATERIAL rvals: Fro e nearest sc eptic tank ewer lines atertight sew rom well? TO 20 85 100	CLay Fine s Shale  OR LANDO //year)	Neat can be said to the said t	From From From Int. to 10 From Int. to 10 From Int. Int. to 10 From Int. Int. Int. Int. Int. Int. Int. Int.	2 Ceme tft.	ft. to ft. to ft. to ft. to ft. to ent grout From From From Freedyard ft. to gent grout From From From From Freedyard ft. to gent grout From From From From From From From From	3 Benrium ft.  goon  FROM  was (1) constr	to	om Other	plugged underst of my kn	der my jurisdiction and wa
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 0 20 85	MATERIAL rvals: Fro e nearest so eptic tank wer lines atertight sew rom well? TO 20 85 100  RACTOR'S on (mo/day I Contractor business na	CLAY Fine s Shale  OR LANDO //year)	Neat can be said to the said t	From	2 Ceme c LOG stres	ft. to ft	3 Bent ft.  goon  FROM  Was (1) constr  Well Record w Service	to	om Other	plugged underst of my kn	der my jurisdiction and wa