LOCA	TION OF W	ATER WELL:	FRACTION	water well	Record Form WWC-	Section Number	Township Number	Range Number	
							1	•	
Sumner			NW 1/4	NW 1/4	NE 1/4	32	т 30 s	R 2W E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
3E-1N-1/2 W. of Belle Plaine on South side									
WATER WELL OWNER: HARLAN, Chuck									
RR#, ST. ADRESS, BOX#: 1448 E. 100th Ave. N. Board of Agriculture, Divivsion of Water Resource									
CITY, STATE, ZIP CODE: Belle Plaine, Kansas Application Number:									
		LOCATION WITH 4	DEPTH OF CO		LL 48	ft. ELE	VATION:		
AN "X	" IN SECTIO	N BOX:	□ Depth(s) groundv	vater Encounter		ft.	2 ft.	3 ft.	
WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON model							FACE MEASURED ON mo/day/yr	02/11/1997	
			Pump tes		Vell water was	ft. a	ifter hours pum		
'	NW	NE	st. Yield	-	Well water was		after hours pum		
N Mile		1 1 1	ore Hole Diameter		n. to 48	ft.	and in.	to ft.	
∑ w		1 1	VELL WATER TO		5 Public wate			njection well	
			1 Domestic	3 Feedlot	6 Oil field w		•	Other (Specify below)	
11	sw		2 Irrigation	4 Industrial	7 Lawn and		0 Monitoring well	(aposta) accomp	
								o/dev/vr comple was	
1 Stee		3 RMP (SR)		5 Wrought i 6 Asbestos-C			Concrete tile CASING JOINTS: Glued X Clamped Other (Specify below) Welded		
2 PVC 4 ABS				7 Fiberglass			. ,	Threaded	
	_			•		DR-26	_		
	asing Dian	•	in. to 48	ft., Di			ft., Dia in.	to ft.	
		ve land surface 12		weig	ht 3.25		Vall thickness or gauge No. 10 Asbestos-ceme	.255	
THE STATE OF THE S									
12 Note and Open Note)									
1		RFORATION OPEN			Gauzed wrapped		8 Saw cut	11 None (open hole)	
1	nous slot	3 Mill slot		6	Wire wrapped		9 Drilled holes		
1	ered shutte			7 7	Torch cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 38 ft. to 48 ft., From ft. to ft.									
1			from		ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from			ALS: from 2	4 ft. to 48		ft., From	ft. to	ft.	
<b>_</b>			from		ft. to	ft., From	ft. to	<u>ft.</u>	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to								ft. to ft.	
What is the nearest source of possible contamination:			contamination:			10 Livestoc	ek pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines			lines	7 Pit privy		11 Fuel sto	130	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			ool	8 Sewage lagoon		12 Fertiliz		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent								Apparent	
Direction from well?  How many feet?									
FROM			THOLOGIC LOG		FROM	то	PLUGGING INTER	RVALS	
0	5	fine sand	<u> </u>						
5	18	clay							
18	25	medium sa	and						
25	48	coarse sa	and						
ļ	ļ								
Ĺ									
						1 1			
7 CO	Imp 4 cm	NDIG							
1   CONTINUE TOR SOR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Todd S. Harp									
l							o o a a d	. Turp	