	WATER WELL RE	CORD Fo	rm WW(C-5 KSA	82a-1212			
1 LOCATION OF WATER WELL:	FRACTION		SECTIO	ON NUMBER	TOWNSHIP N	UMBER	RANGE NUM	MBER
Sumner	SW 1/4 SW		1/4	23	T 30	S	R 2W	E/W
Distance and direction from nearest town or city								
1252 N. Clearwater Road 2 WATER WELL OWNER: WEI	Clearwater, K	ansas						
minutes and the second	LLS, Lance 8 N. Daury					Board of Agrici	ulture, Division of Wa	ter Resource
	rwater, Kansas		200	0005				
	DEPTH OF COMPLETED W	ELL: 80	ft.	CODE:	EVATION:	pplication Numb	per:	, , , , , , , , , , , , , , , , , , ,
WITH AN "X" IN SECTION BOX:				EL	EVATION:			-
	pth of groundwater Encounte		ft.			ft.		ft.
	ELL'S STATIC WATER LEVE	,		LAND SURF	ACE MEASURE			3
NWNE	Pump test dat Est. Yield: gpm				ft. after		of pumping @	gpm
W W E B	Est. Yield: gpm Bore Hole Diameter 12	Well water in.	to 80	ft.	ft. after and	nours o	of pumping @	gpm
	ELL WATER TO BE USED A		10 00	11.			to a 11. Inject	ft.
1	. Domestic 3. Feedlot	5. Public water	r supply <	7. Lawn and	garden only	9. Dewaterin	12. Other (Spe	
		6. Oil field wat		8. Air conditi	oning 1	0. Monitoring	well	,
1	Vas a chemical/bacteriological sar ibmitted	nple submitted to Dep	partment?	YES	NO		hat mo/day/yr wa	•
5 TYPE OF CASING USED:	Difficed		i		r Well Disinfec		YES NO)
1. Steel 3. RPM (SI	8) 5. Wrought Iron	7. Fiberglass	9. Othe	er (Specify bel	ow) CASIN	•		hreaded
2. PVC 4. ABS	6. Asbestos-Cement	8. Concrete tile	SDR-	-26		,	Welded	Clamped
Blank casing diameter 5	in. to 35 ft.,	Dia.	in.	to	ft., Dia	ı, in	ı, tó	ft.
Casing height above land surface:	10					,		11.
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENING	GS ARE							
1. Continuous slot 3. Mill sl		apped	7. Torci	h cut	9. Drilled	holes	11. None (op	en hole)
2. Louvered shutter 4. Key p		•••	8. Saw					
,	•	•		Cut	10. Other (specify)		
SCREEN - PERFORATION INTERVAL	From 35	ft. to	80 f	ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From 24	ft. to	80 f	ft.,	From	ft.	to	ft.
	From	ft. to	f	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat	cement 2. Cem	ent Grout	3. E	Bentonite	Ot	her bento	nite hole plug	
Grout Intervals: From 4		ft., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible co	7 Dit print	10	Livestock p	nens			15 Oll	
1. Septic tank 4. Lateral lines 4. Caleral lines								
Nano Vot								
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Yet Direction from well? How many feet?						Ci		
	LITHOLOGIC LOG		From	То			210 1 00	
0 3 topsoil	LITTIOLOGIO LOG		TIOIII	-10	L	ITHOLOG	SIC LOG	
3 12 clay						147 ing 1 1		
12 30 brown shale								
30 80 gray shale								
		i		1				<u> </u>
1 1	<u> </u>							
					· · · · · · · · · · · · · · · · · · ·			

7 Contractors and analysis of Contractors								
7 Contractor's or Landowner's Certifi	#12/2012						nder my jurisdiction	n and
7 Contractor's or Landowner's Certifi was completed on (mo/day/year)	7/3/2013	. constructed and this record is t					nder my jurisdiction	n and
7 Contractor's or Landowner's Certifi	7/3/2013		rue to the be	est of my knov	vledge and beli			n and

/