WATER V			Form V	WWC-5	Div	ision of Water			- 1	
Original R				e in Well Use		urces App. No.		Well ID		
1 LOCATION OF WATER WELL:			Fraction							
County: S			NE 1/4 NE 1/4 SW 1/4							
2 WELL O	WNER: La City of Mui				Street or Rural Address where well is located (if unknown, distance and					
	201 Boxel				direction from nearest town or intersection): If at owner's address, check here:					
Address: 2	ZO I BOXEN	dei Ave.		12	201 Boxelde	er Ave, Mulva	ane, ks.			
City:	Mulvane		State: KS	ZIP:						
3 LOCATE		4 DEPTH	OF COM	IPLETED WELL:	22 ft	5 Latitud	37.472	5(decimal degr	reec)	
	Donth(s) Groundwater I				1 6			666 (decimal degr		
			3) ft., or 4)		Horizoni	Horizontal Datum: WGS 84 NAD 83 NAD 27				
		WELL'S ST	WELL'S STATIC WATER LEVEL: 14.4 ft.				or Latitude/Longitude			
		below land surface, measured on (mo-day-yr). 8/21/201								
				measured on (mo-day-			(WAAS enabled? ☐ Yes ☐ No)			
Pump test data: Well w					Lan	☐ Land Survey ☐ Topographic Map Online Mapper: Google Earth				
				pumping fi					• • • • • • • • • • • • • • • • • • • •	
				pumping			A.I.A.			
Estimated Vield			onm	6 Elevation:ft. ☐ Ground Level						
S				8.75 in. to22					•	
1 mile in. to										
7 WELL WATER TO BE USED AS:										
1. Domestic:	1.4			ter Supply: well ID			10. Oil Field Water Supply: lease			
☐ Household 6. ☐ Dewaterin ☐ Lawn & Garden 7. ☐ Aquifer Re				g: how many wells?			11. Test Hole: well ID			
☐ Livestock 8. ■ Monitoring				echarge: well IDg: well ID	<i>l</i> -1		12. Geothermal: how many bores?			
2. Irrigation	2. Irrigation 9. Environmental Remediation: well I					a) Closed Loop Horizontal Vertical				
				□ Soil Vapor E					er	
4. Industrial	1		Recovery	☐ Injection		13. 🔲 Othe	r (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? ☐ Yes ■ No										
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other										
Casing diameter 2 in. to 12 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 36 in. Weight lbs/ft. Wall thickness or gauge No. sch 40										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .12 ft. to .22 ft., From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other										
Nearest source	e of possible	e contaminati	on:							
☐ Septic Ta☐ Sewer Lin		_	Lateral Line Cess Pool			Livestock Pens		cide Storage oned Water Well		
☐ Watertigh		_	Seepage Pit	☐ Sewage Lag ☐ Feedyard		Fuel Storage Fertilizer Stora	_	ell/Gas Well		
Other (Specify)										
Direction from well?										
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM			r PLUGGING INTERVA	ALS	
0 10		Clay, brown,								
10 1				ice fine sand,						
45		light petrole								
15 2			oist, mod	lerate petroleum						
24		dor								
21 22		Sandy Clay,			<u> </u>					
strong petroleum odor Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) 8/20/2018 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 604. This Water Well Record was completed on (mo-day-year)										
under the bus	siness name	e of ⊭ UANLOÙ	mental Pi	nonity Service, Inc	Si	gnature	\	 		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,										
				66612-1367. Mail one to V			for your records. Telep		_	
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										