WATER WELL RECORD		Form W	WC-5	Division of Wa	ater Resources App. N	o	
1 LOCATION OF WATER WELL: County: Clark		Fraction 1/4 SE 1/4 SE	1/4 SE 1/4	Section Number 7	Township No. T 30 S	Range Number R 22 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .				Latitude: .37.27.23. (in decimal degrees)			
6 miles south of Kingsdown and west into			Longitude: 99 52.45 (in decimal degrees) Elevation: 2466				
				<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: Falcon Exploration Inc				Collection Method: GPS unit (Make/Model: Apple iPhone)			
RR#, Street Address	farket. Ste 1252		GPS unit (M	lake/Model: Apple!	PIIUIIE)		
City, State, ZIP Cod	e : Wichita	Ks 67202		Est. Accuracy:	Photo, [] Topographi] <3 m, [] 3-5 m, [ic Map, ☐ Land Survey] 5-15 m, ☐ >15 m	
3 LOCATE WELL							
WITH AN "X" IN							
SECTION BOX:							
111	WEEL 5 STATIC WATER ELVEL						
Pump test data: Well water was							
-NW - -NE - EST. YIELD. 80 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10.5/8 in. to ft., and in. to ft.							
W							
Demostic Decodlet Moil field water supply Dewatering Dehar (Specify below)							
I Important Department							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in. to .164 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 30 in., Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From 164 ft. to20 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well							
FROM TO	LITHOLOG		FROM			JGGING INTERVALS	
		IC LOO	I KOIVI	LITIO.	LOG (cont.) or FLC	COLIN HITERYALD	
10000	lty clay / calichi la	vere					
	sand / clay layers						
30 104 SIIIaii	Salid / Clay layers)					
			+		· · · · · ·		
			+				
			+				
			+ -				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .07/21/11 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No665 This Water Well Record was completed on mb/day/par) .07.128/1.1							
under the business name of Pratt Well Service Inc. by (signature)							
INSTRUCTIONS: Use typewriter or hall point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/water	well/index.html.			C1	VI. ita Carra D Di	us Comy [] Dista Ca	
KSA 82a-1212				Check: U	White Copy, 🔲 Bl	ue Copy, Pink Copy	