

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County: CLARK	Fraction: NE 1/4 NE 1/4 NW 1/4	Section number: 1	Township number: T 30 S R 22 E	Range number: 22
2. Distance and direction from nearest town or city: 5-5 1/2 W of Bucklin, Kans.				3. Owner of well: Gordon Smith R.R. or street: City, state, zip code: Bucklin Kans		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 1/2 in. Completion date 8-11-76 Well depth 158 ft.		
		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material <input type="checkbox"/> Height: 92 in. Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 200		
5. Type and color of material				From	To	10. Screen: Manufacturer's name Sunflower Plastics
Top Soil				0	3	Type RMP Dia. 5 1/2
Tan Clay				3	76	Eye/gauze 1/8 Length 20
DRY GRAVEL				76	79	Set between 138 ft. and 138 ft.
Tan Clay				79	96	Gravel pack? <input checked="" type="checkbox"/> Size range of material 2x1/2
DRY GRAVEL				96	98	11. Static water level: 126 ft. below land surface Date 8-11-76
Clay				98	118	12. Pumping level below land surfaces: 126 ft. after 1 hrs. pumping 10 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 12 g.p.m.
GRAVEL (FINE)				118	128	13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____
Clay				128	131	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade
GRAVEL				131	158	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
NOT 10 ROCK						16. Nearest source of possible contamination: ft. 75 Direction E Type BARN Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: _____ Not installed Manufacturer's name Flint & Walling Model number 78412 HP 3/4 Volts 230 Length of drop pipe 147 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		10 PO 2456		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. CARL HAYSE WATER WELL SERV. 224 Business name _____ License No. _____ Address 603 S. Maple, Greensburg, Kans Signature Carl Hayse Date 8-11-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5