USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

MT. JI SUS

WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

BA						Topeka, Kansas 66620				
	County Fraction			Section number		Township number Range number				
1. Location of well:	Clark	e 1/4 ne 1/4 nw	1/4	3		т 30 s	R	22	E(W)	
'					of well: Pickrell Drilling Co.					
2-N 164-E of Minneola, Kansas. R.R. or Street address of well location if in city:						Litwin Bldg. Suite 205				
City, sto					ode:	Wichita, Kansas 67202				
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 10 in. Completion date Well depth 200 ft. 2-1-79				
						7 Cable tool X_ Rotary Driven Dug				
						Hollow rod Jetted Bored Reverse rotary				
						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock				
						Lawn X Oil field water Other				
						9. Casing: Material Height: Above or bM本文				
<u> </u>	<u> </u>	Threaded Welded Surface 18 in . RMP PVCX Weight lbs./ft.								
S 1 Mile						Dia.45 in. to 200ft. depth Wall Thickness: inches or				
5. Type and color of material					То	Dia in. to ft. depth gage No•237				
						10. Screen: Manufacturer's n				
top soil				9	2_		_ Dia			
clay				2	35	0000	_ Length	160		
sand & gravel				35	48	ft. a	nd		3/8	
clay				48	70	11. Static water level: mo./day/yr. 87 ft. below land surface Date 2-1-79				
cemented sand				70	76	12. Pumping level below land				
***************************************	do began and inches and in the contract of the		:	:3	-	ft. after h			·	
clay				76	83	Estimated maximum yield		•	.p.m.	
sand & gravel				83	111	13. Water sample submitted:		mo./d		
	*****	Survey of New Yorks	· · · · · · · · · · · · · · · · · · ·	ĺl	129		Date			
clayer was a series of the ser				;		14. Well head completion: Pitless adapter Inches above grade				
xxx sand & gravel					174	15. Well grouted? X	- menes	above gro		
clay					176	With: X Neat cement	Bentonite _	Cor	ncrete	
						Depth: From ft. to .			\dashv 1	
Sand & gravel					186	16. Negrest source of possible contamination: ft. 60 Direction				
clay					197	Well disinfected upon comple			No.	
	,					17. Pump:	X Not inst	talled		
				-		Manufacturer's name Model number	HP	Volts .		
BIZOCK 186				\perp		Length of drop pipe		g	.p.m. (
87						Type: Submersible		Turbine		
99 sat then				\dashv		Jet		Reciproca		
	(Use a second s	heet if needed)				Centrifugal		Other	—— *, '	
18. Elevation: 19. Remarks:						20. Water well contractor's o		and this re-	nort	
^						This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.				
Topography:					:	Rosencrantz-Bemis 134				
HIII Slope XO						Business name Address Great Bend, Kansas 67530				
X Upland						Signed Sandy Ki	love	Dat 3=	9-79 [
Valley	1 n 0		Authorized repr	esentative						