


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

SIMMONS CRITIK

BCC

1. Location of well:	County Clark	Fraction SW 1/4 SW 1/4 NW 1/4	Section number 5	Township number T 30 S	Range number R 22 E
2. Distance and direction from nearest town or city: 13 1/2 E., 1 N. of Minneola, Ks. Street address of well location if in city:			3. Owner of well: Bill Freeman R.R. or street: Kingsdown, Kansas 67858 City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile Sketch map:			6. Bore hole dia 9 7/8 in. Completion date 6-01-76 Well depth 135 ft.		
			7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
			8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
5. Type and color of material			9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 284 lbs./ft. Dia. 5 in. to 135 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 265		
Top soil			10. Screen: Manufacturer's name Jess & Lowell		
Clay			Type PVC Dia. 5" Slot/gauze 1/8" Length 40' Set between 95 ft. and 135 ft. ft. and ft.		
Fine sand			Gravel pack? yes Size range of material 3/16"		
Med. to lar. lar. sand with sheets of rock			11. Static water level: 90 ft. below land surface Date 5/27/76		
Sandy clay			12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Med. to lar. sand			13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Light blue clay			14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade		
in g			15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.		
(Use a second sheet if needed)			16. Nearest source of possible contamination: ft. 30 Direction northwest old well Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
18. Elevation:			17. Pump: Not installed Manufacturer's name Aermotor Model number SD12 HP 1 Volts 220 Length of drop pipe 128 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
19. Remarks: TOPO 2440 135 2305			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Meade, Kansas 67864 Signed [Signature] Date 6-27-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5