

1 LOCATION OF WATER WELL:

County: Clark

Fraction

N 1/4 NE 1/4 NE 1/4

Section Number

7

Township Number

T 30 S

Range Number

R 24 E/W

Distance and direction from nearest town or city street address of well if located within city?

1 1/4 north east of Minneola

2 WATER WELL OWNER:

Charles Oshlo

Pickrell Drilling

RR#, St. Address, Box # :

Litwin Bldg. Suite 205

Board of Agriculture, Division of Water Resources

City, State, ZIP Code :

Wichita, Ks. 67202

Application Number:

T82-229

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

N

W

E

S

4 DEPTH OF COMPLETED WELL:

120

ft. ELEVATION:

Depth(s) Groundwater Encountered

1

ft.

2

ft.

3

ft.

WELL'S STATIC WATER LEVEL

ft. below land surface measured on mo/day/yr

4-21-82

Pump test data:

Well water was

ft. after

hours pumping

gpm

Est. Yield

NA

gpm:

Well water was

ft. after

hours pumping

gpm

Bore Hole Diameter

11

in. to

12.0

ft., and

in. to

ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes

No

x

;

If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes

No

x

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

5 Wrought iron

8 Concrete tile

2 PVC

4 ABS

6 Asbestos-Cement

9 Other (specify below)

CASING JOINTS: Glued

Clamped

Welded

Threaded

Blank casing diameter

in. to

ft., Dia

in. to

ft., Dia

in. to

ft.

Casing height above land surface

in., weight

lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From

ft. to

ft., From

ft. to

ft.

GRAVEL PACK INTERVALS:

From

ft. to

ft., From

ft. to

ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From

ft. to

ft., From

ft. to

ft., From

ft. to

ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well?

North west

How many feet?

75

FROM

TO

LITHOLOGIC LOG

FROM

TO

LITHOLOGIC LOG

0

10

Silty top soil

10

15

Cletche

15

75

Sandy clay & cletche

75

105

White hard clay

105

110

Brown clay

110

115

Red bed and broken sand stone

115

123

Shell

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:

This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)

4-21-82

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.

134

This Water Well Record was completed on (mo/day/yr)

4-26-82

under the business name of

Rosencrantz-Remis Ent.

by (signature)

Lora Dodson

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.