

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.


20200166

Well ID

1 LOCATION OF WATER WELL: County: CLARK Fraction 1/4 NE 1/4 NE 1/4 SE 1/4 Section Number 22 Township Number T 30 S Range Number R 25 E W

2 WELL OWNER: Last Name: Business: JAEGER ENTERPRISES LLC Address: P.O. BOX 538 / 450 CRC City: MINNECOLA State: KS ZIP: 67865 Street or Rural Address where well is located: FROM MINNECOLA KS 1 MILE WEST ON HWY 54 THEN 1 1/4 MILE SOUTH WELL ON WEST SIDE OF CREEK 5 RD.

3 LOCATE WELL WITH "X" IN SECTION BOX: N



4 DEPTH OF COMPLETED WELL: 91 ft. Depth(s) Groundwater Encountered: 1) 68 ft. 2) 68 ft. 3) 68 ft. or 4) Dry Well WELL'S STATIC WATER LEVEL: 68 ft. below land surface, measured on (mo-day-yr) 6-11-2020 Pump test data: Well water was 10.5 gpm after 10.5 hours pumping Well water was 9.5 gpm after 9.5 hours pumping Estimated Yield: 10.5 gpm Bore Hole Diameter: 10.5 in. to 9.5 ft. and 9.5 in. to 9.5 ft.

5 Latitude: Longitude: Horizontal Datum: Source for Latitude/Longitude: GPS (unit make/model): Land Survey Topographic Map Online Mapper:

6 Elevation: Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in. to 7.1 ft. Diameter 7.1 in. to 7.1 ft. Diameter 7.1 in. to 7.1 ft. Casing height above land surface 24 in. Weight SDR 26 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 7.1 ft. to 9.1 ft. From 35 ft. to 25 ft. GRAVEL PACK INTERVALS: From 9.1 ft. to 50 ft. From 35 ft. to 25 ft. From 25 ft. to 0 ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 50 ft. to 35 ft. From 25 ft. to 0 ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) 999 Direction from well? 999 Distance from well? 999 ft.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows describe soil layers: Dark Brn Hard Clay Top Soil (0-6), Brn Sandy Clay (6-25), Fine Tan Sand (25-35), Sandy Brn Clay (35-50), Fine Tan Sand (50-85), Brn Sandy Clay (85-95).

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 6-11-2020. This record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 672. This Water Well Record was completed on (mo-day-year) 6-12-2020 under the business name of Crowd's Water Well Sur. Signature: [Handwritten]

Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.