		٤.	WATER W	ELL RECORD	Form WWC-5	KSA 82a	-1212	
LOCATION	N OF WAT		Fraction	1		ion Number	Township Number	Range Number
County: Me			• C		E 1/4	27	T 30 s	R 26 E
Distance and	d direction	rom nearest town or	city street addré	ss of well if located	d within city?			•
		of Fowler, K						
		NER: Ladd Peti		poration/Ma	d Continent	Regional	Office	
		# : P.O. Box a				•	•	e, Division of Water Resources
		: Tulsa, OK					Application Number	
LOCATE	WELL'S LC	CATION WITH 4 D	EPTH OF COM	PLETED WELL 1	.4.0	. ft. ELEVA	TION:	
AN "X" IN	SECTION	BOX: Dept	h(s) Groundwate	er Encountered 1		ft. 2	2 f	t. 3
·	T T	I WEL	L'S STATIC WA	NTER LEVEL 🕊	5 ft. be	elow land sui	face measured on mo/day	/yr
		.!. *x	Pump tes	st data: Well wate	rwas 🗯	5.1.39 ft. a	fter hours	pumping / . 0.0 gpm
	NW	Est.	Yield	. gpm: Well water	rwas	ft. a	fter hours	pumping gpm
<u> </u>	- i - I		Hole Diameter	8.3./4in. to		ft.,	and	.in. to
• w	1	I WEL	L WATER TO E	BE USED AS:	5 Public water	r supply	8 Air conditioning	11 Injection well
7	1		1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)
	- sw	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only		
	- i - I	Was	a chemical/bact	eriological sample s	submitted to De	partment? Y	esNo	es, mo/day/yr sample was sub-
<u> </u>	<u> </u>	mitte	ed			Wa	ter Well Disinfected? Yes) No
TYPE OF	BLANK C	ASING USED:	5	Wrought iron	8 Concre	te tile	CASING JOINTS: G	lued Clamped
1 Stee	əl	3 RMP (SR)	6	Asbestos-Cement	9 Other	specify below	w) W	/elded
2 PVC	;	4 ABS		Fiberglass			TI	hreaded
		. 5 in. t	o XXXXX 14	12. ft., Dia	in. to			in. to ft.
Casing heig	ht above la	nd surface2	.4 in.,	weight		Ibs.	ft. Wall thickness or gauge	e No
		R PERFORATION MA		•			10 Asbestos-co	
1 Stee	el	3 Stainless stee	el 5	Fiberglass	8 RM	P (SR)	11 Other (spec	sify)
2 Bras	SS	4 Galvanized st		Concrete tile	9 AB		12 None used	(open hole)
SCREEN O	R PERFOR	ATION OPENINGS	ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 Con	tinuous slo	d 3 Mill slo		6 Wire	wrapped		9 Drilled holes	
2 Lou	vered shutt			7 Torch	cut		10 Other (specify)	
SCREEN-PI	ERFORATE			0 ft. to	140	ft., Fro	m	ft. toft.
		F	-rom	ft. to .		ft., Fro	m	ft. toft.
GI	RAVEL PAG							ft. toft.
				ft. to		ft., Fro		ft. to ft.
GROUT	MATERIAL	Neat ceme	nt) 2 (Cement grout	3 Bento	nite 4		
						to	ft., From	ft. to ft.
What is the	nearest so	urce of possible cont	amination:			10 Lives	stock pens 1	4 Abandoned water well
1 Sep	tic tank	4 Lateral lin	es	7 Pit privy		11 Fuel	storage 1	5 Oil well/Gas well
2 Sew	ver lines	5 Cess poo	ı	8 Sewage lagoon				6 Other (specify below)
3 Wat	tertight sew	er lines 6 Seepage	pit	9 Feedyard		13 Inse	cticide storage	
Direction fro	om well?					How ma	any feet?	
FROM	TO	·	ITHOLOGIC LO	G	FROM	TO	LITHOL	LOGIC LOG
	20	Sand-Clay-C	leachie					
20	40	Cleachie-Cl	ay-Sand					
40	60	Coarse Sand	•					
60	80	Coarse Sand						
80	100	Coarse Sand						
100	120	Coarse Sand		ie bottom				
120	140	Cleachie-Gr						
								•
-7								
7 CONTR	ACTOR'S	OR I ANDOWNER'S	CERTIFICATION	l. This water well v	vas (1) constru	cted (2) rec	onstructed, or (3) plugged	under my jurisdiction and was
COmpleted (on (molder	(vear) 7-	06-83	. This water well v	- 44 (1) 90113110	and this rec	ord is true to the hest of m	y knowledge and belief. Kansas
							on (mo/day/yr)7:	
		me of Howard D			TON HOODIG WO		ature) Alle G	nular
INSTRUCT	TIONS: Use	typewriter or ball poin	t pen, PLEASE I	PRESS FIRMLY a	nd PRINT clear	ly. Please fill	in blanks, underline or circ	e the correct answers. Send top
three copies	s to Kansas	Department of Health	and Environmen	nt, Division of Enviro	nment, Environ	mental Geold	ogy Section, Topeka, KS 66	620. Send one to WATER WELL
OWNER at	nd retain or	ne for your records.						•

>