

CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4 1/4) Section-Township-Range changed:

listed as NE NE SW, 26-30S-25

changed to NE NE SW, 26-30S-27W

Other changes: Initial statements: _____

Changed to: _____

Comments: _____


verification method: written & legal description, position on plat map,
and Fowler 1:24,000 topo. map. initials: APL date: 7/12/2000

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 SW 1/4 Section Number 26 Township Number T 30 S Range Number R 25 E/W
 County: Meade

Distance and direction from nearest town or city street address of well if located within city?
2 Mile North & 2mile west & 1/2 south of Fowler

2 WATER WELL OWNER: Zort Alfalfa Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box # : 5084 22 Road Application Number:
 City, State, ZIP Code : Fowler, Kansas 67844

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 285 ft. ELEVATION: ft.
 Depth(s) Groundwater Encountered 1. 185 ft. 2. 210 ft. 3. 228 ft. 4. 255 ft.
 WELL'S STATIC WATER LEVEL 30' ft. below land surface measured on mo/day/yr 5-24-00
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 18 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter 10 in. to 285 ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 0-225 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 225 ft. to 245 ft., From 245 ft. to 265 ft.
 From 265 ft. to 285 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 285 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? None - remote area How many feet?

FROM	TO	None	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	30		Topsoil & clay & little fine sand			
30	45		Clay & little fine sand	223	228	Clay
45	75		Clay & little lime	228	237	Sand
75	80		Fine sand	237	239	Clay
80	101		Clay	239	240	Sand
101	105		Fine Sand (blue)	240	247	Lime (very hard) & little sand
105	106		Fine Sand	247	255	Clay & little lime
106	135		Clay	255	259	Sand
135	150		Clay & Little lime (hard)	259	262	Cemented sand (hard)
150	185		Clay (blue)	262	270	Lime (hard) & clay
185	192		Sand (little fine & blue)	270	280	Lime (very hard) & clay
192	195		Clay	280	285	Shale
195	210		Clay & little lime & cemented sand			
210	214		Sand			
214	223		Clay & lime & little cem. sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-25-00 and this record is true to the best of my knowledge and belief. Kansas
 Water Well Contractor's License No. 223 This Water Well Record was completed on (mo/day/yr) 6-13-00
 under the business name of Dunham Drilling Inc. by (signature) Karen Dunham