WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: MEADE	Fraction 1/4 SE 1/4 SW 1/4 NE 1/4	Section Number Township No. Range Number 24 T 30 S R 27 □E ☑W	
Street/Rural Address of Well Location; is	f unknown, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If at o	wner's address, check here .	Latitude: (in decimal degrees)	
NORTH SIDE OF FOWLER - 2 MILE	ES NORTH. 1 MILE WEST.	Longitude: (in decimal degrees)	
2,690 FT. NORTH & 1,362 FT. WES		Elevation:	
		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
RR#, Street Address, Box #: BOX 16	I BURTON	Collection Method:   GPS unit (Make/Model:)	
a: a: a a		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
FOWLE	ER, KS 67844	Est. Accuracy:	
3 LOCATE WELL	0.70		
	COMPLETED WELL 370		
SECTION BOX: Depth(s) Ground			
	WELL SSTATIC WATER BEVEL		
	Pump test data: Well water wasft. after		
70 · · · · · · · · · · · · · · · · · · ·			
E   Bore Hole Diameter			
Demostic D Foodlet D Oil field water supply D Devertering D Other (Specify below)			
SW   SE			
Was a chemical/bacteriological sample submitted to Department?  Yes  No			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? ☐ Yes ☑ No			
5 TYPE OF CASING USED: V Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter 16 in to 285 ft., Diameter in to ft., Diameter in to ft.			
		lbs./ft., Wall thickness or gauge No250	
TYPE OF SCREEN OR PERFORATION I	MATERIAL:		
✓ Steel ☐ Stainless Steel	□ PVC □	Other (Specify)	
Brass Galvanized Steel			
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
		ft., From ft. to ft.	
CONCUENCE TO THE PARTY OF THE P	Fromft. to	ft., From ft. to ft.	
6 GROUT MATERIAL: Neat ceme	nt V Cement grout Benton	ite	
		tt. to	
What is the nearest source of possible contamination:   Septic tank			
Sewer lines Cesspool Sewage lagoon Fuel storage Mabandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well EAST		from well 150 FT.	
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
SEE ATTACHED LOG	3		
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATION: This water	r well was 🗸 constructed, 🗌 reconstructed, or 🔲 plugged	
under my jurisdiction and was completed on (mo/day/year)			
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 7-17-09 under the business name of MINTER-WILSON DRLG. CO., INC. by (signature) Transport Heller.			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			

28,076

Irrigation and Domestic and Repairing

## **INCORPORATED**

Phone 620-276-8269 • P.O. Box A • **GARDEN CITY, KANSAS 67846** 

NAME COUNTY **ED BURTON** 

**MEADE** 

DATE

7-9-09

LOCATION:

NE 1/4 24-30-27 - HWY. 23 SOUTH TO FOWLER FEEDERS ROAD

7 MILES EAST, 1/2 OF A MILE NORTH &

1/4 OF A MILE WEST

- 150 FT. WEST OF EXISTING WELL

STATIC WATER LEVEL - 110 FT.

## TEST#3

0' TO 1' - TOP SOIL

1' TO 42' - BROWN CLAY

42' TO 50' - FINE SAND

50' TO 60' - FINE TO MEDIUM SAND

60' TO 85' - BROWN CLAY

85' TO 96' - BROWN & BLUE CLAY

96' TO 172' - BLUE CLAY

172' TO 186' - BROWN CLAY

186' TO 237' - BLUE & BROWN CLAY

237' TO 283' - BROWN CLAY

283' TO 300' - FINE TO MEDIUM SAND & GRAVEL

300' TO 309' - BROWN CLAY

309' TO 360' - FINE TO MEDIUM SAND & GRAVEL

360' TO 372' - BROWN CLAY

372' TO 376' - YELLOW CLAY

376' TO 380' - SHALE