

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Meade</u>		<u>SW 1/4 NW 1/4 NW 1/4</u>	<u>19</u>	T <u>30</u> S	R <u>28</u> E <u>W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>From Missler, 7 miles north</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>Rt. 2 Box 103</u>		Application Number:			
City, State, ZIP Code : <u>Montezuma, KS. 67867</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>412'</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>186'</u> ft. below land surface measured on mo/day/yr <u>6-14-94</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>9 1/8"</u> in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped 2 <u>PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter <u>5"</u> in. to <u>372'</u> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface <u>12"</u> in., weight lbs./ft. Wall thickness or gauge No. <u>SDR 17</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>372'</u> ft. to <u>412'</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>24'</u> ft. to <u>412'</u> ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other					
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 <u>Abandoned water well</u> 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? <u>North west</u> How many feet? <u>20'</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	30	Brown clay & caliche			
30	90	Fine sand & sandrock layers			
90	96	Fine sand & brown clay layers			
96	215	Med. sand & sandrock layers			
215	245	Med. sand & brown clay layers			
245	255	Blue clay			
255	412	Med. sand & blue clay layers			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-14-94</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>533</u> This Water Well Record was completed on (mo/day/yr) <u>7-30-94</u>					
under the business name of <u>Jantzen Water Well Repair</u> by (signature) <u>[Signature]</u>					