

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Meade

Location listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location changed to:

4-305-28 W

NE NW NE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Latitude & longitude, KGS' "LEO" conversion tool,
county ownership map, and mapping tool on KGS website.

initials: DRJ date: 6/9/2005

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Empty box for application number

1 LOCATION OF WATER WELL: County: Meade, Fraction 1/4 1/4 1/4, Section Number, Township Number T S, Range Number R E/W

Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37° 28.460 Longitude: 100° 22.914 Elevation: 2651 Datum: Data Collection Method:

2 WATER WELL OWNER: Bernard Weller, RR#, St. Address, Box #, City, State, ZIP Code: Montezuma, KS 67867

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: (Diagram showing NW, NE, SW, SE quadrants) 4 DEPTH OF COMPLETED WELL: 230 ft. Depth(s) Groundwater Encountered, WELL'S STATIC WATER LEVEL: 154 ft. below land surface measured on mo/day/yr. 3-18-08, Pump test data, Est. Yield, WELL WATER TO BE USED AS: 0 Domestic, 3 Feedlot, 6 Oil field water supply, 9 Dewatering, 12 Other (Specify below), Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted. Water well disinfected? Yes No

5 TYPE OF CASING USED: 1 Steel, 3 RMP (SR), 6 Asbestos-Cement, 9 Other (specify below), 0 PVC, 4 ABS, 7 Fiberglass, CASING JOINTS: Glued, Clamped, Welded, Threaded, Blank casing diameter, Casing height above land surface, TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, 0 PVC, 9 ABS, 11 Other (Specify), 2 Brass, 4 Galvanized Steel, 6 Concrete tile, 8 RM (SR), 10 Asbestos-Cement, 12 None used (open hole), SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 0 Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole), 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 8 Saw Cut, 10 Other (specify), SCREEN-PERFORATED INTERVALS: From 190 ft. to 230 ft., GRAVEL PACK INTERVALS: From 20 ft. to 230 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 0 Bentonite, 4 Other, Grout Intervals: From 4 ft. to 20 ft., What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, 16 Other (specify), 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 0 Abandoned water well, below, 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer Storage, 15 Oil well/gas well, Direction from well? North, How many feet? 7

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-3 topsoil, 3-90 tan clay, 90-110 sandy tan clay, 110-230 sand & gravel

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-19-08 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 101. This Water Well Record was completed on (mo/day/year) 3-23-08 under the business name of Bernell Well Drilling, Inc. by (signature) Bernell J. Routh

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.