


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Meade	Fraction SW 1/4 NE 1/4 SW 1/4	Section number 20	Township number T 30 S R 28	Range number 28																														
2. Distance and direction from nearest town or city: 4 south of the 2nd curve south of Copeland 10 1/2 east Street address or well location if in city:			3. Owner of well: Ben Little R.R. or street: Meade, KS 67864 City, state, zip code:																																
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: 			6. Bore hole dia. 26 in. Completion date 10-20-76 Well depth 410 ft.																																
5. Type and color of material <table border="1"><thead><tr><th></th><th>From</th><th>To</th></tr></thead><tbody><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>				From	To																												7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				From	To																														
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																																			
9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 411 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <input type="checkbox"/>																																			
10. Screen: Manufacturer's name Johnson Type Galv. Dia. 16" Slot/gauze <input type="checkbox"/> Length 201 Set between 380 ft. and 400 ft. Perf: 180-380 ft. and 400-410 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2" Down																																			
11. Static water level: 151 ft. below land surface Date 10-15-76 mo./day/yr.																																			
12. Pumping level below land surfaces: 151 ft. after 3 hrs. pumping 1525 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1525 g.p.m.																																			
13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/> mo./day/yr.																																			
14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> 12 inches above grade																																			
15. Well grouted? <input checked="" type="checkbox"/> yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <input type="checkbox"/> ft. to <input type="checkbox"/> ft.																																			
16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type Field Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																			
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Goulds U.S. Pumps Model number 12JHMO HP 125 Volts <input type="checkbox"/> Length of drop pipe 200 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																			
(Use a second sheet if needed)																																			
18. Elevation: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name License No. 67846 Address Box A Garden City, KS Signed [Signature] Date 10-24-76 Authorized representative																																

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The
Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

BEN LITTLE
MEADE COUNTY
9-21-76

Location: SW $\frac{1}{4}$ 20-30-28 600 Ft. west of #1
Static Water Level- 135'

Test #2

0	2	Top soil
2	28	Brown clay
28	36	Brown clay and white rock
36	41	Fine to med. sand
41	52	Brown clay
52	80	Fine to med. sand and gravel
80	95	Fine to med. sand and gravel 15% clay
95	125	Brown clay
125	185	Fine to med. sand and fine gravel
155	185	Fine to med. sand and gravel
185	215	Fine sand & blue clay
215	335	Fine to med. sand and gravel
335	350	Fine to med. sand and 15% clay
350	410	Fine to med. sand and gravel
410	435	Brown sandy clay
435	440	Shale