


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Meade County	Fraction 1/4 C 1/4 NE 1/4	Section number 25	Township number T 30 S R 28 E W
2. Distance and direction from nearest town or city: 2 North of Fowler Jct.			3. Owner of well: G. D. Harris (Bill) R.R. or street: RFD City, state, zip code: Fowler, KS 67844		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 8-31-77 Well depth 335 ft.	
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1 ft. in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia 16 in. to 335 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 219	
				10. Screen: Manufacturer's name Johnson Type Johnson Galv. Dia 100-16" Slot/gauze 0-170 Plain 170-190 Screen Set between 190-280 Perf. 280-300 Screen 300-335 Perf and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 1/4 to 5/8	
				11. Static water level: <input type="checkbox"/> mo./day/yr. 60 ft. below land surface Date 8-6-77	
				12. Pumping level below land surfaces: 153 ft. after 2 hrs. pumping 900 g.p.m. 175 ft. after 4 hrs. pumping 1300 g.p.m. Estimated maximum yield 1300 g.p.m.	
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 1 ft. inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction N/A Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Gould 4 stg. 14" Bowl Model number <input type="checkbox"/> HP 200 Volts <input type="checkbox"/> Length of drop pipe 240 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drlg. Co. 208 Business name License No. 678462 Address Box A, Garden City, KS Signed <i>[Signature]</i> Date 1-19-79 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The
Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67840

G. W. Harris
Meade County
7-21-77

Location: NW 25-30-28 1 3/4 miles north of 23-98 jct.
1/4 east on pivot

Static Water Level- 75'

Test #5

0	4	Top soil
4	29	Brown clay
29	52	Gray clay
52	172	Blue clay
172	191	Fine to med. sand and gravel
191	232	Brown clay
232	244	Fine to med. sand and gravel
244	280	Blue clay
280	306	Fine to med. sand and gravel
306	314	Brown clay
314	321	Fine to med. sand and gravel
321	326	Brown clay
326	331	Fine to med. sand and gravel
331	412	Brown clay
412	416	Yellow clay
416	420	Shale

T.D. 335
170' Plain
20' Screen
90' Perf
20' Screen
35' Perf
335'