

WATER WELL R		VV VV C-3	0000		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
1 LOCATION OF WATER WELL:		Fraction	1/. 1/.	Secti	on Number	Township Numb		ige Number
County:		1/4 1/4	D	1 4 1 1	T S	R	□E □W	
				reet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:			•			
3 LOCATE WELL	4 DEPTH OF COM	PLETED WELL	•	ft	5 Latitud	<u> </u>		(decimal degrees)
WITH "X" IN	Depth(s) Groundwater							
SECTION BOX:	on box: 2) ft 3) ft or 4) \square Dry Well \square Dry							
1	WELL'S STATIC WA			ft. Source for Latitude/Longitude:				
	below land surface.				GPS (unit make/model:)			
NW NE			asured on (mo-day-yr) was ft.		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
	_							
W E		s pumpingvater was				ne Mapper:		• • • • • • • • • • • • • • • • • • • •
X - SW SE		s pumping						
	Estimated Yield:		6F	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:	in. to	ft. and	ft. and Source: Land Survey GPS Topographic Map				
mile		in. to	ft.		L	Other	· · · · · · · · · · · · · · · · · · ·	
7 WELL WATER TO								
1. Domestic:		iter Supply: well ID.				ield Water Supply: 1		
Household		g: how many wells?						
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID				mal: how many bore		
2. Irrigation								
3. ☐ Feedlot								
4. ☐ Industrial	☐ Recovery					(specify):		
Was a chemical/bacter	iological sample subm	nitted to KDHE?	∃Yes □	No 1	If ves, date s	ample was submitte	ed:	
Water well disinfected?					, ,			
8 TYPE OF CASING		C □ Other	C	ASINO	G JOINTS: 1	☐ Glued ☐ Clampe	d ∏ Welded	d □ Threaded
Casing diameter								
Casing height above land s						ss or gauge No		
TYPE OF SCREEN OR	PERFORATION MA	TERIAL:						
	less Steel					(Specify)		
	anized Steel Conc		e used (oper	n hole)				
SCREEN OR PERFORA			T	□ p:	11-3 11-1	7.045 (C:f)		
	☐ Mill Slot ☐ Ga ☐ Key Punched ☐ W				ne (Open Hole	Other (Specify)		
SCREEN-PERFORATE	ED INTERVALS: From	n ft to	ft Fr	om	ft to	ft From	ft to	ft
GRAVEL PACK INTERVALS: From								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)								
Direction from well? ft.								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction an	d was completed on (~	5 CEKTIFICATI(20-day-year)	JIN: I his v	water v	well was 🔲 (constructed, L reco	onstructed,	or ∐ plugged
Kansas Water Well Con	tractor's License No	This V		Reco	rd was comn	leted on (mo-dav-v	ıy kilowiedş zear)	50 and Denet.
under the business name	of					on (ino day y		
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1176680

Litholgy

From	То	LithologicLog
0	2	top soil
2	4	brown sandy clay
4	59	brown & white clay w/ lime rock
59	80	fine sand
80	132	sand fine to med
132	199	blue clay w/ few sand strips
199	220	fine sand
220	226	brown sandy clay
226	242	fine sand
242	256	sand fine to med
256	280	sand fine to med coarse few small gravel
280	296	blue clay
296	306	fine sand
306	320	brown sandy clay w/ sand strips & limerock
320	324	sand fine to med coarse
324	345	brown sandy clay
345	371	sand fine to med coarse
371	385	brown sandy clay
385	395	fine sand & limerock w/ few clay stringers
395	400	brown sandy clay
400	440	fine sand w/ many clay stringers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1176680

Litholgy

From	То	LithologicLog
440		brown sandy clay w/ few sand strips
462	480	shale