WATER WELL RECORD (WWC-5) Constructed KOLAR DOCID 1847141 WELL ID_ ✓ Original Record ☐ Correction ☐ Change in Well Use LOCATION OF WATER WELL Latitude 37 406016 Longitude -100.370554 Section 27 30 Township Fraction SW ¼ NW ¼ SE ¼ Range **WGS84** Datum Elevation 2624 County Meade **WATER WELL OWNER WELL WATER USE** NEAREST SOURCE OF POTENTIAL CONTAMINATION Name Mark Miller Domestic Livestock/Pasture Source: Abandoned water well Business Distance COMPLETION Direction Ε from well: from well: PO Box 125 420 ft Depth of completed well: Address Source Meade KS 67864 Depth(s) groundwater encountered: description: (1) 203 ft.; (2) ft.; From Intersection of E Rd & Source: Well location (3) _____ ft.; (4) _ dry well 16 go south 1/2 Mile then East Distance Direction 1/2 Mile from well: from well: Static water level in well: at owner's Source address description: 06/03/2022 on (mm/dd/yy): CONSTRUCTION ☐ No potential source of contamination measured above land surface within 100 feet. Borehole interval: on (mm/dd/yy): Borehole diameter: 10 _{in.} **PERMIT & ID NUMBERS (AS REQUIRED)** 0 to 420 ft. Estimated yield: 40 gpm from to ft. Water level was: ft. after hours in. DWR Application No.: Casing height above land surface: 18 in. KDHE / EPA Project Code: ___ pumping ____ If casing height is less than 12 in. Pump installed? ☐ Yes No Site Name: has a variance been approved?* ☐ Yes No KDHE UIC Class V Form Completed: \square Yes \square No *variance not required for monitoring Water well disinfected? ✓ Yes No County Permit: ☐ Yes ☐ No Permit ID: or environmental remediation wells Date disinfected (mm/dd/yy): 06/03/2022 Lease Name & Well #: ThermalPlastic Casing type: # of boreholes: ____ # of dewatering wells: ____ Blank casing interval: 0 ft. to 340 ft. Aquifer, if known: Blank casing diameter: 5 in. LITHOLOGIC LOG Casing joints: Splines **FROM** LITHOLOGY INTERVALS Weight: lbs/ft. Attache Attache Wall thickness or gauge no.: SDR17 Blank casing interval: ft. to Blank casing diameter: in. Casing joints:___ Weight: lbs/ft. Wall thickness or gauge no.: Grout interval: 0 ft. to 50 ft. Grout material: Bentonite Grout interval: ft. to COMMENTS Grout material: **PVC** Screen / perforation material: Screen / perforation openings: Saw cut CONTRACTOR'S OR LANDOWNERS CERTIFICATION Screen / perforation intervals: This water well was constructed ✓ reconstructed ☐ pursuant to the stated water well From 340 ft. to 420 ft. contractor's license and was completed on ___06/03/2022 __. I certify that this record is true to Slot size 32 unit millimete the best of my knowledge and belief. This water well record was completed on _ From ft. to ft. under the business name of ____ Nash Water Well Service, LLC Slot size ____unit ___ Kansas Water Well Contractor's License No. 846 under the authority of the designated Gravel pack intervals: person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the Gravel pack not used: ☐ Gravel size _____ in

designated person at its submittal:

From 50 ft. to 420 ft.

From _____ ft. to ____ ft.

Gravel pack not used:
Gravel size _____in

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Trevor Nash

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1647141
Well Owner	Mark Miller
Contractor	Nash Water Well Service, LLC

Lithology

Littiology		
Freeze State		
0	3	topsoil
3	11	,TAN BROWN CLAY WITH FINE SAND
11	14	,WHITE CLAY & CALICHE WITH FINE COARSE SAND
14	45	,BROWN CLAY WITH FINE MEDIUM SAND
45	65	FINE MEDIUM SAND
65	90	FINE MEDIUM SAND WITH BROWN CLAY STREAKS & LAYERS
90	180	,FINE COARSE SAND WITH SMALL TO MEDIUM GRAVEL
180	220	FINE MEDIUM SAND WITH BROWN CLAY SAND
220	243	BROWN TAN YELLOW, GRAY CLAY STICKY WITH FINE SAND STREAKS & ROCK LAYERS
243	263	FINE COARSE SAND WITH TAN CLAY & ROCK LAYERS
263	268	GRAY BLUE TAN BROWN, CLAY WITH FINE SAND
268	283	,GRAY CLAY WITH FINE SAND
283	300	,BROWN CLAY WITH FINE SAND STREAKS
300	313	,FINE COARSE SAND WITH SMALL GRAVEL

37-35-28W

Form	WWC5.2 - Water Well Record	
Doc ID	1647141	
Well Owner	Mark Miller	
Contractor	Nash Water Well Service, LLC	

Lithology

313	320	,TAN CLAY FINE MEDUM SAND STREAKS
320	340	FINE MEDIUM SAND WITH COARSE STREAKS
340	420	FINE MEDIUM SAND WITH
420	425	,FINE COARSE SAND
425	440	,TAN YELLOW GRAY CLAY